

(M/N:POS -L 15 6)

- 1. 00000 00 000000 13 15 000000

- o. [][][][][][]
- $p. \ \, \square\square\square\square \ \, \mathsf{MSR} \ \square \ \, \mathsf{VFD220} \ \, \square\square\square\square\square\square\square\square\square\square\square\square$
- q. 0000000000

ПП	∏⊓-L 156
	15.6gpppppppSpp
	nnnnn
ПП	
	15.6000000
	1366*768
	2
	25 0cd/m
	0001 60 0001 50
	00 00G+G 0000
	15.600000 /000 00000001366*76800
	2*20 VFD [][][][][][]
	Intel Celeron Bay Trail J1900 2.0GHz[Intel Celeron J4125 Intel Core I3 / I 5 CPU []
	1*SO-DIMM DDRIII[]]]]]]]] 4GB DDR3L/ 1333 MHZ[]]]]]]] 8GB []]
	Msata SSD 64GB [][][][] 256GB
	10/100Mbs@Realtek RTL8111F @@@@
	00Mini PCI-E0000000WIFI00
	Windows 7/8/10 DDDWEPOSDLinux
000	
J1900	000012V DC *1
	LAN_RJ-45*1
	USB*6
	15PIN D-sub VGA *1
	RS 232*1
	0000*1000000*1
80mm[][]	00000
	1 5 0mm/s [][]
	79.5-/+ 0.5mm 72mm
	0000000000 50km
58mm[][][]	00000
	85mm/s [][][]
	57.5-/+ 0.5mm []]]]]]]] 48mm
	0000 50km
MSR	□□ MSR
	000000000
	00 4ohm/5w 000000
	0006.5000000 15.6 8.00000 15.6000000000
	490 * 31 0 * 48 5
	110-240V /50-60HZ [[[[[]]]]][[[]]][[]][[]][[]][]][]] W/o [[[]]][] W/o [[]][]] DC12V/7A[[]] [[[]][][]][]] W/ 80mm [[]]





J1900, J4125 or i3 / i5 for option



Memory 4G or 8G



Msata SSD 64GB or higer



Built in 58mm or 80mm printer



Built in 1D&2D barcode scanner



15.6 inch touch screen monitor





Application



Bar



Mile Tea Store



Convenience Store



Restaurant







Library



Coffee Store



Bakery



Supermarket

FACTORY STRENGTH











