

15.6 / 15.1 / Windows / POS

m / n POS-h156 / h151

OCOM H pos POS IO

□□

* Intel Celeron / Intel Core I3 I5

* MSATA SSD 64GB / SSD 128GB / 256 GB

* 58mm / 80mm

* □□□□□□□□

* MSR / VFD220

* □□□□□□□□

* □□□□□□□□ / □□□□□

□□

	POS -H156	POS -H151
	15.6 pos	15.1 pos
	□□□□□□	
	□□□□□□□□□□□□□□□□□□	
	15.6	15.1
	1366 * 768.	1024 * 768.
	250cd / m. ²	
	□□□□150;□□□□140	
	□□□□G + G□□□□	
	15.6 / 14□11.6□□□□W / OR□W / O□□□□□□□□□□ □□□□1366 * 768	15.1□□□□□W / OR□W / O□□□□□□□□□□1024 * 768
	2 * 20 VFD□□□□□□□□□□	
	Intel Celeron Bay Trail J1900 2.0GHz□□□□□□□□I3 / I5 4 [□] □□□□□□□□CPU	
	1 * SO-DIMM DDRIII□□□□□□□□1333 * / 1600 2GB / 4GB / 8GB□□□□□□	
	MSATA SSD 64GB□HIGEL□□□□256GB	
	□□□□□□□□TEK ALC662□□□□□	
	4□□/ 5W□□□□□□□□□□	
	10 / 100MBS□Realtek RTL8111F LAN□□ □□□□□□□□□□□□□□□□WiFi□□	
	Windows7 / 8/10□□□□□□□□□□POS□Linux	





POS-H15





POS-H15





POS-H15





POS-H15



