

17寸POS
POS -8817

□□

- * □□□□□□□□□□ POS □□
- * □□□□□□□□□□□□□□□□□□
- * LED / VFD □□□□□□□□
- * MSR □□

□□

- * □□□□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□□□
- * □□□□□□□□□□□□□□□□□□

□□

| | |
|---------|--|
| □□ | POS 8817 |
| □□□□ | □ |
| □□□□ | LED8&VFD&MSR |
| □□ | □□□□□□□□ |
| □□□□□ | □□□□□1037U□□1.8GHZ |
| □□□ | □□□□NM70 |
| □□□□□ | DDRIII 1066/1333 * 1 2GB□□□□ |
| □□ | SSD32GB□□□□ |
| □□□□□□ | 17□□TFT LCD |
| □□ | 2500cd /□ ² |
| □□□ | 1280 * 1024□□□□ |
| □□□ | 5□□□□□□□ |
| □□□□ | □□□□160;□□□170 |
| I / O□□ | 1 * □□□□□12V DC□□□□ * 1 |
| | 1 * PS2□KB / MS□ |
| | □□ * 2 DB9□□□1 * RJ45 for Rs232 |
| | □□□1 * DB25□□ |
| | VGA□15□D-sub□ * 1□RJ11 * 1 |
| | □□□□RJ-45 * 1 |
| □□□□ | USB□2.0□ * 4 |
| □□□□ | 0°C□40°C |
| □□□□ | -20°C□60°C |
| □□ | FCC A / CE□□ / LVD / CCC |
| □□□□/□□ | 540 * 457 * 210mm / 7.25□□ |
| □□□□ | Windows XP Professional / XP Embedded□WE POS□Linux |
| □□□□□ | 110-240V / 50-60HZ 1.5A□□□□□□□□DC12 / 5A□□ |



POS8817



www.ocominc.com

CE FC





POS8817



www.ocominc.com

