

17" POS

TM-1701

□□□



□□□□□□

5□4□□□□□□

LED□□A□□□□□

□□□1280*1024@60HZ□

□□□□□□□□□□

□□□

□□	TM-1701
□□	17"□□□□□□
□□	□□□□
□□	□□□□□□□□
VESA	75*75mm □□□□□□□□□□□□
□□□□□□	□□8□□□□□
□□	
□□□	337.92□□×270.336□□□□
□□□□	0.264*0.264
□□□	5:4
□□□	1280*1024
□□	300cd/m2
□□	1000:1
□□□□	1670□

尺寸	160mm*150mm
重量	500g
颜色	
分辨率	5000000*4000000
接口	ITO ITO FIT
响应时间	0.000ms
刷新率	<8ms
功耗	0.0003H
亮度	72%~
寿命	>3500000 times
接口	
I/O	12V DC *1 USB *1 15PIN D-sub VGA *1 HDMI*1 *1
其他	
尺寸	
重量	40g
工作电压	-10 ~ 60V
工作温度	10%~80%
存储温度	10%~90%
尺寸	
重量	445*180*415mm/8.0kg
4寸重量	630*450*430mm/25kg
尺寸	
电源	110-240V/50-60HZ DC12V/4A
接口	USB VGA HDMI
其他	
尺寸	
重量	
认证	CE ROHS CCC FCC











