

19

□□□□**TM1901**□

□□□□□

```
int width = 1280 * 1024;
```

A□□□□;

[illegible]

111

型號	TM1901
顯示器	19" TFT LCD 寬螢幕
解析度	寬螢幕
顯示面積	0.294mH×0.294mV 寬螢幕
顯示像素	376.320mH×301.056mV 寬螢幕
顯示尺寸	800×1
顯示速率	寬螢幕170;寬螢幕170
顯示角度	0-90°
LCD 顯示器	19" TFT 寬螢幕
顯示尺寸	16.7M
顯示解析度	XGA 1280 * 1024 @ 75Hz
顯示亮度	寬螢幕350cd / m
顯示反應時間	5ms 寬螢幕
顯示壽命	5萬小時 寬螢幕
顯示接口	USB A
顯示溫度	20°~80°
顯示濕度	0°C~40°C
顯示高度	20°~80°
顯示深度	-20°C~60°C
顯示 / 顯示	VGA 寬螢幕 DC A 寬螢幕 USB
顯示 顯示	寬螢幕 寬螢幕
顯示 顯示	寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕
顯示 顯示	25W 寬螢幕
EMI / 顯示	TUV CE VCCI FCC
顯示	
顯示 顯示	寬螢幕 寬螢幕 寬螢幕; 寬螢幕 寬螢幕 寬螢幕
顯示 顯示	100-250V / 50-60HZ 寬螢幕 DC 12V / 3A 寬螢幕
顯示 顯示	1 * CD 寬螢幕 寬螢幕
顯示 顯示	VGA 寬螢幕 USB B 寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕 寬螢幕

□□□□□



19-inch Touch Screen LCD Display TM1901



Features

High resolution: Support 1280*1024;





Grade A LCD panel;



Lifetime: 50 million touch.



Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

