

□OCBS -W234**□**

| | ABS + PC + TPU | |
|------|---|---|
| | □□5V±5□ | |
| | 190mAh[][][][| |
| | 3.7V 2000mAH 18650∏∏ | |
| | 6.5 | |
| | > 12 | |
| | 170∏±5∏ | |
| | | |
| | 2.4GHz∏ | |
| | 50-80M | _ |
| | NUTEDUL+ULTED | |
| | 2MNN40000NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN | |
| | Codabar Code Code Code Code Code Code Code Code | |
| | EAN128 InterLeaved2of5 Matrix2of5 MSI CODE Standard2of5 | |
| | QR[][][][]PDF417 | |
| | Code39 5mil QR 8.7mil PCS45 | |
| | 5MIL CODE39∏512 CM | |
| | 15MIL CODE39∏425 CM | |
| | 10MIL CODE93∏421 CM | |
| | 15MIL UPC / EAN□425 CM | |
| | 20MIL QR□425 CM | |
| | 400times /□ | |
| | 1/5∏ | |
| | | |
| | 5 *5cm² - 30 *30cm² | |
| | | |
| | ΠΠ35Π | |
| | | |
| | | |
| IP□□ | ≥IP54 | |
| | 0∏50°C/ 32∏122°F | |
| | 0∏50°C/ 32∏122°F | |
| | 5 - 95/1/1/1/1 | |
| | 5 - 95NNNNN | |
| | 5 - 95 | |
| 0000 | | |
| | 1.5M000000000 | |



















2.____**&**__ ____

| OCOM; |
|----------------------|
| |
| |
| |
| |
| 4. |
| 5. |
| 6. |
| Eruopean |
| 13313001300O2O250050 |