

1D / QR 1D / 2D USB

OCBS-T2001

Product Description

1D / 2D
Windows / Android / Linux

640x480 CMOS		
1D	128 UCC / EAN-128 128 EAN-8 EAN-13 ISSN UPC-E UPC-A Interleaved 2 of 5 ITF-6 ITF-14 25 5 25 25 39	
	93 11 MSI-RSS-14 RSS-RSS-	
2D	PDF417 QR DATAMATRIX	
	≥5mil	
	QR 30MIL 0-15CM 128 10MIL 0-12CM	
	±60° @ 0° Roll 0° Skew 360° @ 0° 0° ±55° @ 0° 0°	
	≥30	
	RS-232 USB	
LED		
IP5X		
	-20°C ~ 50°C	
	-40°C ~ 70°C	
	5 95	
USB 228g RS232 261g		
	102 * 82 * 73 L * W * H	
5V + 0.25V		
	430	
	<200; 150 ± 15; 80 ± 2	

Picture Show



OCBS-T2001





OCBS-T2001





OCBS-T2001



3. 3.

OCOM

500 100

12 + 1 24

30 DOA DOA

4. 4.

T / T LC Western Union Escrow T / T Paypal Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5. 5.

6. 6.

Eruopean

159 2300 O2 500 50

OCOM

- 500 POS Auto-ID
- O2 Star
- 2300 159
- 11 OEM / ODM
- POS 1
-
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-

OCOM Technologies Ltd. TUV POS Auto-ID POS POS POS ISO CE FCC

OCOM “ ” OEM / ODM