

258Android

OCPP -58E

OCPP -58E
OCPP -58E

;

paperroll

GB18030 uncommoncharacters

;

LOGO

Windows Linux Android IOS

ApplicationArea



OCP-58E





OCPP-58E





OCPP-58E



□□

| | |
|----|----|
| □□ | □□ |
|----|----|

| | | |
|-------|------------|---|
| □□□□ | □□□□ | □□ |
| | □□□□ | 48MM |
| | □□□ | 384dots / □□□8dots / □□□203DPI□ |
| | □□□□ | 90□□/□ |
| | □□□□ | USB□USB +□□ |
| | □□□ | 3.75□□□□□□□□□□□□□□ |
| | □□ | □□A□32□□□□/□ □□B□42□□□□/□ □□□□□□□□16□ |
| | □□ | □□GB18030□□/□□□□□□ |
| | □□□□ | ANKcharacter□□□A.□1.5×3.0□□□12×24dots□ □□B.□1.1×2.1□□□9×17dots□ □□/□□□□□3.0×3.0mm□24×24□□ |
| □□□□□ | □□□□□ | PC437 / □□□/ PC850 / PC860 / PC863 / PC865 / WestEurope / □□/□□□□□/□□□□/ □□/ WPC1252 / PC866 / PC852 / PC858 / IranII / □□□□□/□□□□□/ PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / □□□□□□□□□□PC1001□□PT151,1251□/ □□WPC1257□□□□PC864□□□□□□□□□□ |
| | □□ | UPC-A / UPC-E / JAN13□□EAN13□/ JAN8□□EAN8□□CODE39 / ITF / CODABAR / CODE93 / CODE128 |
| □□□□ | □□□□ | □□□□□□□□□□ |
| □ | □□ | □□ |
| | □□ | 57.5±0.5□□ |
| | □□ | ≤60mm |
| | □□□□ | □□□Clameshell□□□□ |
| □□□□ | □□ | ESC / POS |
| □□ | □□□□□ | □□□□AC 100V-240V□50-60Hz □□□□DC 12V / 2A |
| | Casher□□□□ | DC 12V / 1A |
| □□ | □□□□□ | 4K |
| | NV Flash | 40K |
| □□□□ | □□ | 590□ |
| | □□ | 185 * 130 * 112□MM□ |
| □□ | □□ | □□□5~45°C□ □□□10~80□ |
| | □□ | □□□-10~50°C □□□□10~90□□□□□□□□ |
| □□□□□ | □□□□□□ | 50KM□□□□□□≤12.5□ |