

2. 2024年10月10日

M / N OCBP -006

000

1. 000000/000
2. 00000000
3. 00000000
4. 00000000
5. 0000000000000000

000

00 00	00 0
000	203DPI
00 00	20-60mm
00 00	MAX 127mm; MIN 50.8mm
00	DRAM 4M 00 4M
00 0 00	0000
00000	0000
00	USB
000000	000000
00	CODE128 EAN128 ITF CODE39 CODE93 EAN13 EAN13 + 2 EAN13 + 5 EAN8 EAN8 + 2 EAN8 + 5 CODABAR POS TNET UPC-A UPCA + 2 UPCA + 5 UPC-E UPCE + 2 UPC-E + 5 C POS T. MSI MSIC PLESSEY ITF14 EAN14 QR DM PDF417
0000	0000008
0000000	0° 90° 270° 360° 0000001 10; 0° 90° 270° 360°
00	00PCX 00BMP 0000000000 FLASH 00DRAM
0000	000000000000
0000	20 00 60 00
0 00	MAX 80 00
0 0 00	MIN 25 00
0 0000	00 0
0000	DC12V 3A
00	1.04KG
0000	190D x 135W x 137H mm
0000	00 45°C 20 - 0000 80 000000
00	- 40 55°C ≤ 93 RH 40°C
00	

000







www.ocominc.com







OCOM 500 100

12 + 1 24

DOA DOA

30

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

133 1300 O2 500 50

OCOM Technologies Ltd. TUV POS Auto-ID OCOM 500 1

OCOM POS POS POS POS CE FCC

OCOM " OEM / ODM

Lyn Lee

OCOM

10 4 518054;

www ocom inc.com www pos solution.com.cn;

sales14@ocominc.com;

Skype sales14@ocominc.com

MSN ocomsales14@hotmail.com;

Whatsapp 0086.18948789890;

0086.18948789890;

0086.18948789890;

QQ 1467261417;

0086.755.86053207-814;

0086.755.86053207-868;