

2寸58mm USB POS

OCPP-M12

□□□

□□□□□□□□□□□□

□□Windows□Java□Linux□Android□IOS□□□□□

□□□Android□IOS□SDK□

57 * 40□□

□□□□□□□□□□8□□□□□ □7□Android□□□□□Apple□□□□□□□□□

7.4V□1500mA□□;

□□□□□□□90mm /□□

50km□□□□□□□□□□

□□□□□□□□

□□ESC / POS□□□□□

□□□

□□□□	□□□□
□□□□	ESC / POS□□□□□
□□□□□□	48□□
□□□□	□□90mm / sec
□□□	8□/□□□203dpi□
□□□□	12x24 / 24x24
□□□	32□/ 16□
□□□□	1.5 x 3.0□□□□x□□□/ 3.0x3.0□□□□x□□□
□□□□	58.0±0.1mm x□□40.0mm
□□	0.06□0.08mm
□□□	□□□□/□□□□
□□	USB□□□
□	256KB
□□□□□	9V DC / 2A
□□□□	□□7.4V
□□□□	□□□-10□50°C□□□□10□□90□
□□□□	□□□-20□70□□□□□□□5□□95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“ 1234”□□□□□□□



OCPP-M12





OCPP-M12





OCP-PP-M12



