

80MM

OCPP-80T

80MM

OCPP-80T

80MM

100M

256kb NV Logo 256kb

OPOS/JPOS

100KM

80MM

OCPP-80T	OCPP-80T
OCPP-80T	576x25 1.2x1.2
OCPP-80T	72mm
OCPP-80T	200x100x20
OCPP-80T	2.60 (UL)
OCPP-80T	80mm
OCPP-80T	0.06~0.08mm
OCPP-80T	83mm
OCPP-80T	256kbytes
NV-OCPP-80T	256kbytes
OCPP-80T	12*24*8*9*17
OCPP-80T	GB18030, BIG5, 24x24dots
OCPP-80T	
OCPP-80T	PC347, PC850, PC860, PC863, PC865, WPC1252, PC866, PC852, PC858, PT151(1251)
OCPP-80T	UPC-A/UPC-E/JAN13 /EAN13 /JAN8 /EAN8 /CODE39/ITF/CODABAR/CODE93/CODE128
OCPP-80T	USB UR
OCPP-80T	100
OCPP-80T	
OCPP-80T	100V-240V 50/60HZ
OCPP-80T	24V/2.5A
OCPP-80T	0°C~45°C, 10%~80%RH
OCPP-80T	-10°C-60°C, 10%~90%RH
OCPP-80T	CD
OCPP-80T	1.80 (D)x14.2 (L)x13.6 (W)
OCPP-80T	1.14
OCPP-80T	1.8
OCPP-80T	Windows XP/Vista/Win7/Win8/Win10/Win 2000/Win CE/OPOS/JPOS
SDK	IOS













