

□□□No.:OCBS-D8000□

Android $5.1 \square \square \square$;

2G____16G ROM_TF____32 GB;

ARM Cortex-A53[64[[[]]1.3GHz CPU;

□□4G LTE□3G WCDMA;

 $GPS \square A\text{-}GPS \square \square \square \square;$

__800____LED____;

 $SIM_{\square}PSAM_{\square}SD_{\square}TF_{\square}SD_{\square};$

_4.0___**QVGA**____;

 $\boldsymbol{6} \square \square \square \boldsymbol{1.5} \square \square \square \square \square \square \square \square \square$

	152L_×77X29W		
	<500[]		
	4.0 QVGA		
	SIMDDPSAMDDDSDDTFDD		
	USB2.0RS-232		
	□□□□□□□3.7V 4000mAh□□□		
	8Ω1W _□		
	29pcs□□□		
	ARM Cortex-A53 64 1.3GHz		
	2G□□		
□□ROM	16G NAND		
	0001EEE802.11b / g00000000000000000000000000000000000		
FDD-LTE	□□□1920MHZ-1980MHZ;□□□2110MHZ-2170MHz□□ □□□1710MHZ-1785MHZ;□□□1805MHZ-1880MHZ □□□2496MHZ-2690MHZ;□□□2496MHZ-2690MHZ		

	WCDMA□		
	□□□1850MHZ-1910MHZ;□□□1930MHZ-1990MHZ		
	□□□880MHZ-915MHZ;□□□□925MHz-960MHZ		
	GSM∏		
WCDMA / GSM			
	850MHZ824MHZ-849MHZ;869MHZ-894MHZ		
	900MHZ880MHZ-915MHZ;925MHz-960MHZ		
	1800MHZ 1710MHZ-1785MHZ; 1805MHZ-1880MHZ		
	1900MHZ 1850MHZ-1910MHZ; 1930MHZ-1990MHZ		
	-20℃□50℃		
	-25°C∏70°C		
	5_RH - 95_RH		
	1000 ₀ / 0.5M ₀₀ 60000		
	IP65		
	11 03		
	A		
	Android5.1		
SDK			
	IAVA		
	П		
	<u>U</u>		
	□□SE655		
	5MILNNN		
	0ft.candles-10000ft.candles		
	50 /□		
	53º±3º		
	UPC / EAN@EAN@Bookland@128@@39@@93@@11@@@@ 5 2@5@@2@@@@@		
	Mingde966		
	4MIL		
	10000ft.candles[]107640[][][]		
	104 ± 12 / Bothway		
	47°±35°□□□□/ 35°±3°□□□□□		
	UPC / EAN0012803900CODE930Code1105002000 5 20500020000		
CMOS[[[]	00309600000N368000		
	752000×480000000		
	□□□□9000ft.candles / 96900 □□□		
	□□655nm±10nm□		
	PDF417@MicroPDF417@@@RSS@TLC-39@@@@QR@@@QR@@@		
DEID			
RFID			
LF	125K; ISO11784 / ISO11785□□		
HF	13.56MHz□; ISO14443A / B □□		
	□□A-GPS		



Android Based Industrial PDA

OCBS-D8000













Product Picture







Features


Reliable with good price

Android 5.1 Operating System;
Color 4.0 inch QVGA imitative glass durable touch screen;





Support 1D or 2D barcode scanning
Support wifi and bluetooth







PSAM Card SIM Card,Micro SD(TF)Card Expand Port 3.7V 4000mAh Rechargeable Li-Polymer Battery.







Sealed Environment:IP65; 6 side can bear impact from 1.5m drop to cement floor.

Application place



Bookstore



Supermarket



Pharmacy



Warehouse

ocomino.com



Logistics

Parameter

Weight <50	lor 4.0 inch QVGA imitative glass durable touch screen T-LCD, 650000 colors, 480*800 (QVGA size)			
Cole	lor 4.0 inch QVGA imitative glass durable touch screen T-LCD, 650000 colors, 480*800 (QVGA size)			
	T-LCD, 650000 colors, 480*800 (QVGA size)			
Display Screen TFT				
The	e brightness of LED Backlight is adjustable			
Expand Port SIM	M card, , Micro SD (TF) Card			
Communication USE Interface	USB2.0 Device,			
Input Mode Star	andard Stylus, Handwriting, touching input or keyboard input			
Battery Capacity Rec	Rechargeable Li-polymer Battery 3.7V 4000mAh Optional			
Performance Parame	eter			
CPU ARN	ARM Cortex-A53 64bit Quad-Core 1.3G			
RAM 2G1	RAM			
Star Flash ROM	ndard 16G NAND Flash Storage			
	cro SD/TF port (Max up to 32G)			
Data Communication	n			
WI-FI Sup	pport IEEE802.11b/g/n protocol, it need effective wireless LAN signal cover			
Upli	link: 1920MHZ-1980MHZ; Downlink: 2110MHZ-2170MHZ			
FDD-LTE Upli	link: 1710MHZ-1785MHZ; Downlink: 1805MHZ-1880MHZ			
Upli	link: 2496MHZ-2690MHZ; Downlink: 2496MHZ-2690MHZ			
wc	CDMA:			
Upli	link:1850MHZ-1910MHZ; Downlink: 1930MHZ-1990MHZ			
Upli	link:880MHZ-915MHZ; Downlink: 925MHZ-960MHZ			
WCDMA GSI	M:			
/GSM 850	850MHZ, Uplink:824MHZ-849MHZ; Downlink: 869MHZ-894MHZ			
900	0MHZ, Uplink:880MHZ-915MHZ; Downlink: 925MHZ-960MHZ			
180	00 MHZ,Uplink:1710MHZ-1785MHZ; Downlink: 1805MHZ-1880MHZ			
190	00MHZ ,Uplink:1850MHZ-1910MHZ; Downlink: 1930MHZ-1990MHZ			
Bluetooth Sup	Support Bluetooth 2.0+EDR/3.0+HS/4.1+HS, transmission distance is 5-10m			
Operating Environme	nent			
Operating —2	—20C to 50C			
	—25C to 70C			

Production Capacity:



Verified by TUV on 2013.7.15

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers'satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and

OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Indicates information has been verified onsite by a certification specialist

Test Equipments:

Test Computer

Test Equipr	ment and Facilities		
Verified	Machine Name	Brand & Model No.	Quantity
4	Ageing Tester	No Information	6
1	Withstand Voltage Tester	CC2670A	1
V	Oscilloscope	TBS1102	1
1	DC Power Supply	PS-305DM	6
1	Digital Torque Meter	HP100	1
1	Calliper	GUANGLU	2
V	Multi-meter	VC890D	7

No Information

Verified by TUV on 2013.7.15

Certification:










Warranty and After Sales:

- All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- Spare parts will be provided for mass orders for customers' local



- Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:





Payment:









secure payment









Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile





OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers, Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.













Why you choose us?



Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn; E-mail: ocom@ocominc.com, info@possolution.com.cn;

Tel: +86.755.86053207 ext 800; Fax: +86.755.86053207 ext 868; QQ: 2485890637, 190852203; Wechat: szocominc, hj34924238; Whatsapp: 008613352932860;



