

80mm POS

OCPP-88A-BUL

300mm/;

 ;

 + USB + LAN

 ;

 ;


 SDK Android;

 100;

 EPSON ESC / POS

576dots / 512dots /;	24x24 18030 ANK;
12 * 24dots 1.5W * 3.0mm;	9 * 17dots 1.1 * 2.1mm
24 * 24dots 3.0W * 3.0mm	
JUPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF / CODE39 / CODE93 / CODE128 QR	
250 / 300mm /	
USB USB + USB + LAN USB + LAN + USB + USB + LAN	
EPSON ESC / POS	
Win9X / XP / WIN2000 / Win2003 / VISTA / Win 7 / 8 / win8.1 / Linux ESPON SDK	Android
79.5±0.5mm 72	
83	
0.06-0.08mm	
DC24V / 2.5A	
0-45	
10-80	
190 * 145 * 145MM	
1.60	

OCPP	P / N	
	OCPP-88A-U	USB
	OCPP-88A-UR	USB +
	OCPP-88A-UL	USB + LAN
	OCPP-88A-URL	USB + + LAN
	OCPP-88A-W	+ USB
	OCPP-88A-BUL	+ USB + LAN
	OCPP-88A-U0	USB
	OCPP-88A-UR0	USB +
	OCPP-88A-UL0	USB + LAN
	OCPP-88A-URL0	USB + + LAN
	OCPP-88A-W0	+ USB
	OCPP-88A-BUL0	+ USB + LAN



80 POS
OCPP-88A

OCPP

1. OCPP
2. OCPP 300
3. OCPP
4. OCPP
5. OCPP USB USB + LAN USB + + LAN; Wifi + USB + USB + LAN
6. OCPP
7. OCPP
8. OCPP
9. SDK Android
10. OCPP
11. EP SON ESC / POS

OCPP

OCPP	OCPP
OCPP	576dots / 512dots /; 24x24 18030 ANK
OCPP	12 * 24dots 1.5W * 3.0mm; 9 * 17dots 1.1 * 2.1mm 24 * 24dots 3.0W * 3.0mm
OCPP	JUPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODABAR / ITF / CODE39 / CODE93 / CODE128 / QR
OCPP	250 / 300
OCPP	USB USB + LAN USB + + LAN + USB + USB + LAN
OCPP	EPSON ESC / POS
OCPP	Win9X / XP / VISTA / WIN2000 / Win2003 / Win 7 / 8 / win8.1 / Linux / ESPON / SDK / Android
OCPP	79.5 ± 0.5 72
OCPP	83
OCPP	0.06-0.08mm

□	□□□□□□□□	
□□□□	□□□	
□□	DC24V / 2.5A	
□□	0-45□□□	
□□□□□□	10-80□	
□□	190 * 145 * 145□MM□	
□□	1.60□□	
□□□□	P / N	□□
	OCPP-88A-U	USB□□□□□□□□
	OCPP-88A-UR	USB + □□□□□□□□
	OCPP-88A-UL	USB + LAN□□□□□□□□
	OCPP-88A-URL	USB + □□ + LAN□□□□□□□□
	OCPP-88A-W	□□ + USB□□□□□□□□
	OCPP-88A-BUL	□□ + USB + LAN□□□□□□□□
	OCPP-88A-U0	USB□□□□□□□□
	OCPP-88A-UR0	USB + □□□□□□□□
	OCPP-88A-UL0	USB + LAN□□□□□□□□
	OCPP-88A-URL0	USB + □□ + LAN□□□□□□□□
	OCPP-88A-W0	□□ + USB□□□□□□□□
	OCPP-88A-BUL0	□□ + USB + LAN□□□□□□□□

