2016

OM / NOCPP-88A-W

OOD

OOD

OOD

300mm /O;

3.00000;

 $4. @ @ @ @ @ @ & \\ 4. @ @ @ @ & & \\ 5. @ @ @ & & & \\ 4. @ @ & & & \\ 9. & & & & \\ 9. & & & \\ 9. & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & & & \\ 9. & & \\ 9. & & & \\ 9. & & & \\ 9. & & \\ 9. & & \\ 9. & & \\ 9. & & \\ 9. & & \\ 9. &$

7.____1D_QR____;

8.000000;

9.SDK for Android□□;

100000100km;

11. DEPSON ESC / POS

ППП

0000	576[]/[][][][512[]/[];	
	$\verb $	
	A□12 * 24□□1.5□W□* 3.0□H□mm;	
	B□9 * 17□□1.1□W□* 2.1□H□mm	
	/24 * 243.0_W_* 3.0_H_mm	
	JUPC-A / UPC-E / JAN13[]EAN13[]/ JAN8[]EAN8[]/ CODABAR / ITF / CODE39 /	
	CODE93 / CODE128□QR□	
	0000250mm / sec000000300mm / sec	
	USB_USB +D_DUSB + LAN_USB +DD+ LAN_Wifi + USB_DD+ USB + LAN	
	□□EPSON ESC / POS□□	
0000	Win9X / Windows XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 /	
	Linux□□□ESPON□SDK for Android□□□	
	79.5±0.5mm[][][72mm[
	83mm	
	0.06-0.08mm	
	100□□	
	DC24V / 2.5A	
	0-45°C	
	10-80□	
	190 * 145 * 145∏mm□	
	1.60kg	
	P / N	
	OCPP-88A-U	USB
	OCPP-88A-UR	USB +0000000
	OCPP-88A-UL	USB + Lan□□□□□□□
	OCPP-88A-URL	USB +00+000000000
	OCPP-88A-W	Wifi + USB
	OCPP-88A-BUL	□□+ USB + LAN□□□□□□
	OCPP-88A-U0	USB
	OCPP-88A-UR0	USB +0000000
	OCPP-88A-UL0	USB + Lan□□□□□□□
	OCPP-88A-URL0	USB +00+00000000
	OCPP-88A-W0	Wifi + USB
	OCPP-88A-BUL0	+ USB + LAN

x x x x x x x x x x x