2016

$\square M / N \square POS-T8 \square$

- 1.Android 4.4
- $2. \verb| | Qualcomm | | | 1.2 GHz | | | | | |$
- 3.4.0
- 4.0000000
- | | Pboc L1& L2; | PIN | | | |
- $6. Union pay \verb| | | | | | | POS \verb| | | | | |$
- 7.__Pirnting_____
- 8.00000IC000000

		П
		<u> </u>
	PPPP4 0.011	<u> </u>
	0001.2GHz	H
	Android 4.4	
RAM / ROM	ROM 4GB eMMC; RAM 512MB / 1GB DDR2;	I
	□□□micro SD□□□32 GB	<u> </u>
	4.0; 480 * 800_IPS	
	3000001500000000000POS0000000	
	$\square\square\square\square\square\square4000$ mAh	
	00005M AF000000000000000000000000000000000000	
POS		
	□□MSR□□□□□ISO7811,7812	
IC[]	1 Solt□□□1.8V / 3V / 5V□ISO7816□PBOC□EMV	
	13.56MHz□ISO / IEC 14443□□A / B□qPBOC	
SAM[]	1 SAM Solt□ISO7816	
	·	
	WCDMA / GSM	
	WCDMA 2100MHz	
	GSM / GPRS / EDGE 850/900/1800 / 1900MHz	
WLAN	802.11 a / b / g / n	
00/0000		
WPAN	∏∏V4.0 + EDR	
	pow	
USB∏∏	Micro USB2.0∏∏USB OTG	
	DC JACK	
	Pogo∏∏5V - 500mA	
الاناس	· Ø - LULI - · · ·	

	USB□RS232	
	205mm H * 82mm / 67mm W * 33mm D	
	500g	
	-20°C∏60°C	
	-40°C 80°C	
	1000900RH000	
	500□	
ESD[]	±8KV0000; ±15KV0000	
	Android 4.4 / SP-UI	
	SDK	
	PC/ MDM	

0000000 000000000000000000000000000000
00000 0000000DHL00000UPS0EMS0TNT00
000 12 + 100000000000000024000000000000000

${\rm \square\!\!\!\square} OCOM$

<u>___</u>518054;