

PDF417OCBS-2008

OCBS-2008

OCBS

1. OCBS;
2. OCBS;
3. OCBS
4. 4milOCBS
5. OCBS
6. OCBS/ API;
7. OCBS;
8. OCBS.

OCBS

OCBS	
OCBS	USB,USB COM(OCBS)
OCBS	640*480,256 gray levels.
OCBS	300/
OCBS	Australian PostAztecBPOCanada PostCodabarCodablokCode 11Code 39Code 93Code 128/EAN128DataMatrixDutch PostEAN.UCC CompostiteInterleaved 2 of 5Japan Post Matrix 2 of 5MaxiCodeMicroPDF417MSI CodePDF 417PlanetPlessey CodePostnetQR codeGS1 RSSStandard 25 TelepenTLC 39UPC/EAN
OCBS	≥4mil
OCBS	OCBS630nm±10nm
OCBS	Code 39 5OCBS50OCBS~120OCBS Code 39 10OCBS25OCBS~250OCBS UPC/EAN (13OCBS)20OCBS~320OCBS Data Matrix(7.5OCBS)63OCBS~150OCBS PDF417(6.6OCBS)62OCBS~145OCBS
OCBS	OCBS ±45° @0°Roll and 0°Skew OCBS ±30° @0°Pitch and 0°Skew OCBS ±45° @0°Roll and 0°Skew
OCBS	≥30% OCBS
OCBS / OCBS	
OCBS	OCBS+5V+5%
OCBS	OCBS 300OCBS OCBS 40OCBS OCBS 60OCBS OCBS ±10%
OCBS	156*68*83 mm
OCBS	195g OCBS
OCBS	48*36*47CM 20pcs OCBS13.5KG
OCBS	48*39*52CM 30pcs OCBS 15KG
OCBS	
OCBS	-20°C ~ +60°C(-4 °F to 144°F)
OCBS	-30°C ~ +70°C(-22°F to 158°F)
OCBS	5% ~ 95% OCBS
OCBS	OCBS



□□□□□□



