

3

M / N OCPP -M087

Product Description

- WindowsJavaAndroidIOS
- AndriodIOS SDKWindows PC
- USBRS232
- 2000mAh
- 80/
- 50
- 1D2D
-

	72
	8/ mm576/
	80/
	USB
	79.5±0.5×φ40mm
	3.75mm
	58mmA - 32/B - 42/ - 16
	ANKA1.5×3.0mm12×24B1.1×2.1mm9×173.0×3.0mm 24×24
	PC347PC850PC860PC863 - PC865 WPC1252PC8662 PC8522PC858IranII PT1511251

条形码	UPC-A / UPC-E / JAN13/EAN13/ JAN8/EAN8/ CODE39 / ITF / CODABAR / CODE93 / CODE128 / QR / PDF417
内存	
内存	32k
NV Flash	64k
内存	
电压	交流AC 110V / 240V 50~60Hz
电压	直流DC 9V-2A
重量	
重量	0.19KG
尺寸	111×88×41mm 宽×高×厚
工作温度	
工作温度	0~45℃ 存储10~90℃
工作温度	-10~60℃ 存储10~90℃
工作温度	
工作温度	
工作温度	50KM





OCPD-M087





OCPP-M087





OCPP-M087





OCPP-M087





OCPP-M087





OCPP-M087





OCPP-M087



