

### 3 USB POS

(OCPP-80G)

#### POS

POS pos android pos

- 1.
2. 1D QR
3. 100M
4. 256KB NV 2M
- 5.
6. OPOS
7. 3 260mm / s

#### POS

POS pos android pos

POS	POS
POS	230mm / 260mm
POS	79.5±0.5mm
POS	Φ80mm
POS	0.06-0.08mm
POS	576 / line 512
POS	3.75
POS	ESC / POS
POS	+ USB + Lan / 36P / 25P + USB / LAN
C POS	100
P POS	100
POS	2048Kbytes
NV Flash	256K
POS	AC110V / 240V 50/60HZ
POS	DC 24V / 2.5A
POS	DC 24V / 1A
POS	0-45 10-80 N-
POS	0-45 10-80 N-
POS	-10-60°C; Humidity 10-90
POS	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1
POS	UPC-A / UPC-E / JAN EAN13 / JAN8 EAN8 / CODE39 / ITF / CODE93 / CODE128 / PDF417
POS	PC347 PC850 PC860 PC863 PC865 WPC1252 PC866 2 PC852 2 PC858 Iran PT151 1251
POS	1.25; 190×145×143mm*

#### POS

POS pos android pos





[www.ocominc.com](http://www.ocominc.com)





[www.ocominc.com](http://www.ocominc.com)





□□□□

\*□□

\*IP□□□□□□

\*□□□□□

\*□□Windows□□□□□□□□

\*Linux□□□□

\*□□□□□□□□

\*□□ □