

4. 仕様/オプション

M / N OCBP -008

寸法

幅×高さ×奥行き;

200mm / s8" / s;

300mm×214mm×8.4" OD;

8MB×8MB SRAM;

TSPL / EPL / ZPL / DPL;

USB2.0;

Bartender & Windows;

仕様

| | |
|----------|------------------------------------|
| 解像度 | 8 / mm 203 dpi |
| ドット数 | 200×8 / |
| ドット数 | 104×4.09 |
| ドット数 | 1778×70 |
| 寸法 | 25.4-115mm |
| インターフェース | USB 2.0 / TF; RS-232 / / WIFI / |
| 重量 | 10×1178 |
| 解像度 | 8 / mm 203dpi |
| ドット数 | / |
| ドット数 | 200×8 / |
| ドット数 | 104×4.09 |
| ドット数 | 1778×70 |
| 寸法 | |
| 寸法 | 25.4~115 |
| 寸法 | 0.06×0.25 |
| 寸法 | 10~1778mm |
| ドット数 | ×127×5 |
| 材質 | ABS |
| 寸法 | 246×223×204 |
| 寸法 | 2.47 |
| CPU | 32 RISC CPU |
| メモリ | 8MB×8MB SDRAM Mro SD 4 GB |

| | |
|------|---|
| □□ | □□□USB 2.0 / TF□; □□□RS-232 / □□□/ WIFI / □□ |
| □□ | 1D□□□Code 39□Code 93□Code 128UCC□Code 128□□A□B□C□ Codabar□Interleaved 2 of 5□EAN-8□EAN-13□EAN-128□UPC-A□UPC-E□EAN□ UPC 2□5□□□□□MSI□PLESSEY□POS TNET□□□POS T□GS1 DataBar□Code 11 2D□□□PDF-417□Maxicode□DataMatrix□QR□□Aztec |
| □□□□ | ①RS-232□2400-115200 bps□②□□③WiFi④□□□□ ⑤□□□⑥LCD/ LED□□□□□□□□ |
| □□□□ | FCC□CE□CB□CCC |
| □□□□ | □□□□-10~50°C□14~122°F□□10~90□□□□ □□□□-40~60°C□-40~140°F□□10~90□□□□ |





OCBP-008





OCBP-008






OCBP-008





OCBP-008





OCBP-008





OCBP-008





OCBP-008

