

# 4 M / N OCBP -004A / B

## 1

8 MB SDRAM 200 Mhz 32 RISC

## 4 MB

127 5

300 984' 25.4 1

Kiosk

TSPL-EZ™ TPLE TPLZ

## 2. Parameters

	OCBP -004A	OCBP -004B
	8 / mm 203 DPI	12 / mm 300 DPI
	127 mm / s	101.6 mm 4 / s
	108 4.25	104 4 09
	2794 mm 110	1016 mm 40
	20-112mm 0.78"-4.4"	
	0.06~0 254 mm 2.36~ 10	
	10~2 794 0 39" 110"	10 1016 0 39" 40"
	127 5	
	300 67 mm 1" 40 mm~110 mm 1.6"~4.3"	
	234 w X194.8 H X302.5 d	
	3.1 6.83	
	32 RISC CPU	
	4MB Flash Memory	
	8MB SDRAM	
	SD 4 GB	
	<ul style="list-style-type: none"> <li>• USB2.0 • RS-232 • Centronics • 10/100 Mbps</li> <li>• 802.11 b / g / n</li> </ul>	
	AC 100-240V 1A 50-60Hz	
	DC 24V 2.5A 60W	
	LED	
	1 1 1 LED 3	
	pos ition	
	8	
	TTF	
	1D Code 39 Code 93 Code 128 UCC Code 128 A B C Codabar Interleaved 2 of 5 EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 5 MS PLESSEY POS TNET POS T.	
	PDF-417 Maxicode DataMatrix QR	
	BIMAP BMP PCX 256	
	0° 90° 180° 270°	
	TSPL EPL ZPL DPL	

温度	5~40°C / 25~85°F
湿度	40~60% / 10~90%
认证	FCC CE CCC CB
环保	RoHS
接口	①Windows CD; ②USB; ③USB; ④; ⑤; ⑥x 2, 1.5" x 2; ⑦x 2; ⑧; ⑨
速度	10/100 Mbps RS-232 Centronics
分辨率	0.06~0.19mm / 500000; 0.20~0.25mm / 200000
重量	OD 214x8.4x25.4mm / 1kg / 802.11 b / g / n / serial / RFID

### 3. 产品图





## 4. 1

1. 1

2. 2

3. 3

4. 4

5. 5 / t@western union paypal 6. 6 aliexpress 7. 7  
<http://www.aliexpress.com/store/403448> tracelog = minisite\_CI

8. 8  
OCOM 9. 9;

10. 10 500 11. 11 100

12 + 1 24;

30 DOA DOA

4

T / T LC Western Union Escrow T / T Western Union Escrow Paypal .Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

OCOM Technologies Ltd. TUV POS Auto-ID OCOM 500 1

OCOM POS POS POS POS CE FCC

OCOM " OEM / ODM

6.Contact

OCOM

10 4 518054;

www ocom inc.com www pos solution.com.cn;

sales14@ocominc.com;

Skype sales14@ocominc.com

MSN ocomsales14@hotmail.com;

Whatsapp 0086.18948789890;

0086.18948789890;

0086.18948789890;

QQ 1467261417;

0086.755.86053207-814;

0086.755.86053207-868;