

4□□□□/□□□□□□□□□□

(M/N:OCBP-016)



□□□

□□□□□□□□□□

□□□/□□□□

□□□□□□□□□□

300m()

127mm/s

:

	OCBP-016
	USB
	32 CPU
	8MB 8MB SDRAM
	30
	AC 100V-240V 50-60Hz DC 24V/2.5A
	2
	2
	0°,90°,180°,270°
	TSPL EPL ZPL DPL
	/
	203 DPI
	127mm
	104
	1778
	Code 39 Code 93 Code 128 UCC Code 128 A B C Codabar Interleaved 2 of 5 EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 5 MSI PLESSEY POS POST, GSI Code11 PDF-417 Maxicode DataMatrix Aztec
	25.4-118mm
	0.06-0.254mm
	127 mm
	10-1778mm
	300M
	110mm
	282mm(W)×232mm(H)×171mm(D)
	2.9kg 3.9kg
	410*270*225mm
	6 570*425*480mm/17.05kg
	0 45 10%~80%
	-20 60 10%~90%

























□□□□

[OCBP-016 □□□□](#)

[OCBP-016 □□□□□□](#)

[OCBP-016 Windows □□□□](#)

