

POS58mm

OCPP -585



ESPON

	384/203DPI
	384/ANKA12 * 241.5W* 3.0Hmm /24 * 243.0W* 3.0Hmm
	JAN13EAN13JAN8EAN8CODE39 QR
	EPSON ESC / POS
	90/
	57.5±0.5
	0.06-0.08
MCBF	50
	190 * 132 * 119
	1.2

型番	ESPON-7500-0000-0000-0000-0000
径	Φ75mm
ポート	RS-232Cポート、USBポート、LANポート
OS	ESPON-7500-0000-0000-0000-0000 Win 9X、Win 2000、Win 2003、Win XP、Win Vista、Win 7
電源	AC110V / 220V、50-60Hz
電圧	DC12V / 3A
電流	DC12V / 3A
電圧	DC12V / 1A
温度	0-45℃、湿度10-80%
温度	-10-60℃、湿度10-90%
規格	CE / FCC / CCC / RoHS



OCPP-585





OCPP-585






OCPP-585





□□□□





4



OCOM POS ID 500 1

OCOM DOT POS POS

ISO CE FCC BIS

2007 6 OCOM ISO9001 2008 159 /
2300 50
O2 Equicom ...

OCOM “”
OEM / ODM

► Company



► Certificates



► Payment



