

58

OCPP - M07



□□□

□□□□□□□□□□;

□□Windows□Java□Linux□Android□IOS□□□□;

□□□□USB□RS232□□;

□□□Android□IOS□WIN CE□SDK;

□□1D□2D□□□□QR□□□□□□□□;

□□□□□□□□□□□□□□□□□□;

57 * 50□□

□□□□□□□□□□8□□□□□□7□Android□□□□Apple□□□□□□□□;

□□□□□□□□□□1500mAh□□□□4~5□;

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□90□□/□;

100km□□□□□□□□□□;

□□□□□□;

ESC / POS□□□□□□;

□□□

□□□□□□×□×□□	105×75×45□□
□□	134□
□□	□□
□□□□	□□□□
□□□□	ESC / POS□□□□□□
□□□□□□□□	48□□
□□□□	□□90□□/□
□□□□	8□/ mm□203dpi□
□□□□	12x24 / 24x24
□□□□	32□/ 16□
□□□□	1.5 x 3.0 mm□□x□□/3.0x3.0mm□□x□□
□□□□	58.0±0.1mm×□□50.0mm
□□□□	0.06□0.08□□
□□□□	□□□□/□□□□
□□	USB□RS-232□□□□□□□□
□	256KB
□□□□□□	9V DC / 2A
□□□□	7.4V DC / 1500mAh;□□□□□□4-5□□□□□□□□□□□□□□□120-150□□□□
□□□□	□□□□□□□□□□
□□□□	□□□-10~50°C□□□□□10□~90□
□□□□	□□□-20~70°C□□□□□5□~95□
□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“1234”□□□□□□□□□□□□□□□□□□6□□□□
□□□□□□□□	3.5 *1.1□□

□□□□	OCPP -M07-BB	Android□USB + COM +□□□□□□
	OCPP -M07-BB-AI	Android + IOS□USB + COM +□□□□□□
	OCPP -M07-B	Android□USB + COM +□□□□□□;
	OCPP -M07-U	□□□□□□Android□USB + COM□□□□□□
	OCPP -M07-BB-AA	Android + IOS□USB + COM +□□□□□□□□7□android + 1□□□□



OCPP-M07





OCPP-M07






OCPP-M07





OCPP-M07





□□□□□□□□



12 + 1

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro 6000

5.

6.

Eruopean

133 1300 O2 500 50

OCOM

500 POS Auto-ID

O2 Star

1500 133

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

"