

58mm

OCPP-M09



OCPP -M09 Android iOS + Android Window Linux JAVA 58mm pos USB RS-232 CE FCC

□□□

- □□□□□□□□□□
- □□Windows□Java□Linux□Android□Android + IOS□□□□□□
- □□□□USB□RS232□□□□
- □□□□Android□SDK□
- □□□□□□□□QR□□□□□□□□□□
- □□□□□□□□□□□□□□□□
- □□□□□□□□□□8□□□□□□7□Android□□□□□Apple□□□□□
- □□□□□□□□□□1500mAh□□□□4□5□□
- □□□□□□□□□□□□□□□□□□□□□□
- □□□□□□□□90mm /□□
- 100km□□□□□□□□□□
- □□□□□□□□
- □□ESC / POS□□□□;

□□□

□□□□□□×□×□□	105×75×45□□
□□	134□
□□	□□
□□□□	□□□□

ESC / POS		
48		
	90mm / sec	
	8/203dpi	
	12x24 / 24x24	
	32/ 16	
	1.5 x 3.0x / 3.0x3.0x	
	58.0±0.1mm x40.0mm	
	0.06x0.08mm	
	/	
	USB RS-232	
	256KB	
	9V DC / 2A	
	7.4V DC / 1500mAh; 4-5 120-150m	
	-10 50°C 10 90	
	-20 70 5 95	
	30 ASCII	
	" 1234" 6	
	3.5 *1.1	
	OCPP -M09-BB	Android USB + COM +
	OCPP -M09-BB-AI	Android + IOS USB + COM +
	OCPP -M09-B	Android USB + COM +
	OCPP -M09-U	Android USB + COM
	OCPP -M09-BB-AA	Android + IOS USB + COM + 7 android + 1



Mini TAXI pos t



pos
 58 2