

58mm

OCPP -M03



Windows JAVA Android IOS Android + IOS OS;

USB RS-232

QR

90

100 TPH



尺寸	105×75×45
重量	134
厚度	
打印速度	48
打印头	
接口	ESC / POS
分辨率	90
打印精度	8 / mm 203dpi
打印范围	12x24 / 24x24
打印头	32 / 16
打印头	1.5 x 3.0 mm x / 3.0x3.0mm x
打印头	58.0±0.1mm x 40.0mm
打印头	0.06 0.08
打印头	
接口	USB RS-232
容量	256KB
电压	9V DC / 2A
电压	7.4V DC / 1500mA; 4-5 120-150
打印头	
打印头	-10°C~50°C 10~90
打印头	-20°C~70°C 5~95
打印头	30 ASCII
打印头	"1234" 6

□□□□□	3.5 *1.1□□
-------	------------

□□□□□

OCPP -M03-BB	□□ + USB + COM□Win + Java + Android□□□
OCPP -M03-BB-I	□□ + USB + COM□IOS□□□
OCPP -M03-BB-AI	□□ + USB + COM□Win + Java + Android + IOS□□□
OCPP -M03-UB	USB + COM□Win + Java + Android□□□
OCPP -M03-UR	USB + COM□Win + Java + Android□□□□





OCPP-M03





OCPP-M03





OCPP-M03





OCOM

500 100

12 + 1 24

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean

133 1300 02 500 50



OCOM

500 POS Auto-ID

O2 Star

1500 133

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

"