

Built-in 58

OCPP -58X

► Product Description

100

OCPP -58X

5

- □□□□□□□□□□□□□□
- □□□□□□□□□□□□□□
- □□□□□□□□□□□□□□;
- □□□□□□□□□□□□□□;
- □□□□□□□ LOGO□□□;

5

pos tal

111

□□		□□
□□□□	□□□□	□□
	□□□□	48MM
	□□□	384dots /□□8dots /□□□203DPI□
	□□□□	90□□/□
	□□□□	USB□□□
	□□□	3.75 mm□□□□□□□□□□
	□□	□□A□32□□□/□ □□B□42□□□/□ □□□□□□□□16□
	□□	□□GB2312□□□□□□
	□□□□	□□A□□□A□1.5×3.0mm□12×24□□ □□B□1.1×2.1mm□9×17□□□□/□□□□□3.0×3.0mm□24×24□□
□□□□□□	□□□□□□	PC437 / □□□/ PC850 / PC860 / PC863 / PC865 / WestEurope / □□/□□□ □/□□□□/□□/ WPC1252 / PC866 / PC852 / PC858 / IranII / □□□□□/□□□□□/ PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 /□□□□□□□/□PC1001□/□PT151,1251□/□WPC1257□/□PC864□/□□□□□/□□□□□
	□□	UPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□CODE39 / ITF / CODABAR / CODE93 / CODE128

□□□□	□□□□	□□□□□□□□□□
□	□□	□□
	□□	57.5±0.5□□
	□□	≤60mm
	□□□□	□□□□□□□□□□
□□□□	□□	ESC / POS
□□	□□□□□□	□□□□AC 100V-240V□50-60Hz □□□□DC 12V / 2.6A
	Casher□□□□	DC 12V / 1A
□□	□□□□□□	32 KB
	NV Flash	64 KB







OCPP-58X





OCPP-58X







OCPP-58X





OCPP-58X



► Company



► Certificates



► Payment



► Contact us



Reliable One-Stop Supplier for POS and Auto-ID Related Products

4. 支払

当社は、前条第1項のT / T LC Western Union Escrow 又は前条第2項のT / T 又はPaypalにて、

□ □ □ □ □ □ □ □ □ □