

58MM
M / N OCPP -M11

Product Description

- APP
-
-
-

-
- Android App
- bartender
-
-
- 40mm
-
- 8
- 7 Android Apple
- 18650
- 90mm / secprint
- TSPL

Specification:

	TSPL
	=48
	90/
	8/ mm203dpi
	58.0±0.1mm x40.0mm
	0.060.12mm
	/
	USB
	256KB
	9V DC / 2A
	23.7V 1300mAh186507.4V
	-10~50°C10~90
	-20~70°C5~95

□□□□	□□□□□□□□□□□□□□30□ASCII□□□□
□□	□□□□□□□□□□“1234”□□□□□□□□□□□□□□□□6□□□□

▶
Picture Show







OCPP-M11





OCPP-M11





OCPP-M11







OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11





OCPP-M11













OCPP-M11







OCPP-M11





► Product Details



Button

- 1.Power Key
- 2.Feeding Key

LED

- 3.Power Light
- 4.Alarm Light

Port

- 5.Mini USB Port
- 6.Hook

Other



► Instructions



Step one
Open the cover according
arrow direction



Step two
Load roll paper according
arrow direction



Step three
Close the cover

► Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



► Company



► Certificates



► Payment



► Contact us

[illegible]

European...

□□□□□□159□□□2200□□□□□□□□□□□□02□□□□500□□.....□□50□□□□□□□□□□

OCOM

- 500 POS
- O2 Star
- 2200 159
- 11 OEM / ODM
- POS
-
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
-

1111

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS
CE FCC


OCOM“ OEM / ODM

[illegible]

OCOM□□□□□□

000000000000000000001044518054;
000www ocom inc.comwww pos solution.com.cn;
00000richard@ocominc.comrichard@ocomtech.com .cn;
00000sz ocom inc;
Skypeocom inc2000;
MSNocomtech@hotmail.com;
QQ2485890637;
000hj34924238;
Whatsapp0086.133.52932860;
0000086.133.52932860;
0000086.755.8605320700808;
0000086.755.860532070868;

POS500



· **M11□□□□software**

· **label_printer_demo_and_sdk.zip**