

58mm OCPP-587-UW USB + WIFI

M / N OCPP-587-UW

OCPP-587

OCPP-587 58MM OCPP-587-UW 83MM 130 / 58 OCPP-587-UW 100M WIFI GPRS

OCPP-587

- OCPP-587-UW;
- OCPP-587-UW;
- OCPP-587-UW;
- 130 / OCPP-587-UW;
- OCPP-587-UW 83MM;
- OCPP-587-UW USB COM Internet 100M WIFI GPRS;
- GB18030;
- LOGO;
- Windows Linux Android IOS;
- 100M

OCPP-587

Item	Value
OCPP-587	48MM
Resolution	384dots / 8dots / 203DPI
Print Speed	130 /
Interface	USB COM 100M GPRS
Print Width	3.75
Print Height	PC A 32 / PC B 42
Print Length	16
Font	TANDARD GB18030
Barcode	ANK 1.5x3.0 12x24 / B 1.1x2.1 9x17 / 3.0x3.0 24x24
Barcode Type	PC437 / PC850 / PC860 / PC863 / PC865 / WestEurope / WPC1252 / PC866 / PC852 / PC858 / IranII / PT151,1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 / PC1001 / PT151,1251 / WPC1257 / PC864
Barcode Standard	UPC-A / UPC-E / JAN13 / EAN13 / JAN8 / EAN8 / CODE39 / ITF / CODABAR / CODE93 / CODE128
Barcode Resolution	
Print Width	570.5 ± 0.5
Print Height	≤ 83
Print Length	Feed Clameshell
Barcode Type	ESC / POS
Print Voltage	AC 100V-240V 50 - 60 / DC 12V / 2A
Print Voltage	DC 12V / 1A
Print Resolution	4K
Print Resolution	NV Flash 40K
Print Resolution	750
Print Resolution	180 * 115 * 127MM
Environment	5 ~ 45°C / 10 ~ 80%
Environment	-10 ~ 50°C / 10 ~ 90%
Environment	100KM ≤ 12.5

| □□

| □□

□□□IOS□Linux□□WinXP□Win7□□Win8□□Win8.1□Win10



OCPP-587





OCPP-587



www.ocominc.com



Thans& 00000
Harold Hu

OCOM 000000

00000000000000001040000
00518054;

000www.ocominc.com00www.possolution.com.cn;

00000sales14@ocominc.com;

Skype00sales14@ocominc.com

MSN00ocomsales14@hotmail.com;

Whatsapp00086.18948789890;

0000086.18948789890;

0000086.18948789890;

QQ1467261417;

0086.755.86053207-814;

0086.755.86053207-868;