

80

OCBP-T31

Product Description

-
-
-
-
-
- 4MB DRAM 4MB FLASH;
-
- BMP PCX BAC
- USB USB +
- PDF417 QR DOTMATRIX;

	OCBP-T31
	203 DPI 8 / mm
	127 / ; 50.8 /
	16 ~ 76
	25mm; 80mm
	FONT 0 FONT 8;
	1 10; 0 90 180 270 360
	4MB 4MB DRAM
	PCX BMP FLASH DRAM
	CODE128 EAN128 ITF Code39 Code93 EAN13 EAN13 + 2 EAN13 + 5 EAN8 EAN8 + 2 EAN8 + 5 CODABAR POS TNET UPC-A UPCA + 2 UPCA + 5 UPC-E UPCE + 2 UPCE + 5 C POS T MSI MSIC PLESSEY ITF14 EAN14 PDF417 QR DATMATRIX
	USB USB +
	AC110V-240V

□□	□□□□□5°C□45°C □□□□□-40°C□55°C □□□□□20□~80□□□□□□□□□□□□ □□□□□<= 93□□40°C□□□□□□□□□□□□
□□	□□□□D230mm * H163mm * W152mm
□□	1.48□□

▶ Picture Show





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31



▶ Company



▶ Certificates



▶ Payment



▶ Contact us

Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos
tePay CartaSi 4B Euro6000

5.
OCOM

6.
Eruopean

159 2300 02 500 50

OCOM

- 500 POS
- 02 Star
- 2300 159
- 11 OEM / ODM
- POS
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “”
-

OCOM

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS
ISO CE FCC

OCOM “”

OCOM