

15.6 如何安装 Android 的 POS 应用

- 1516)

OCOM POS windows 2nd SR FD

33

- 15.6
-
-
-
-
-
-
-
-
-

11

OS	POS-15 16-W	POS-15 16-A
OS	15.6吋 Windows OS	15.6吋 pos
OS	ABS um	
OS		
OS	15.6吋	
OS	1366*768 1920*1080	
OS	30 0cd/m ²	
OS a	1 60 ; 1 50	
OS s	GG	
OS	15.6 吋 1366*768 1920*1080	
OS	2*20 VFD 2*20 LCD	
OS		
OS	Bay Trail J1900 2.0GHz intel core I3 / th I5 4 CPU	ARM Cortex-A17 -RK 3288 1.8GHz CPU
OS	1*SO-DIMM DDRIII 1333*/1600 4GB 2GB/8GB	2GB DDRIII 4GB
OS	Msata SSD 64GB 256GB	8GB eMMC 32GB TF
OS	Real Tek ALC662 ALC5640	Real Tek ALC5640
OS	10/100Mbs, Realtek RTL8111F Mini PCI-E WIFI	10M/100M RTL8201F, 10M/100M/1000M RTL8211E

OS	Windows 2010 7 8 Android POS, Linux	Android 7.1 Android 8.1
Processor		
Memory / Storage RK3288	p *1	
	12V DC *1	
	RJ-45*1	
	USB * 5	
	RS232* 1	RS232* 2
	VGA(15Pin D-sub)*1	RJ11 *1
	*1	M in *1 , *1
Display		
Resolution	4.0 5.0	
P	460*185*420 mm	
Weight		
Power	0 40	
Power	- 1 0 60	
Power	10%~80%	
Power	10%~90%	
Power		
Power	110-240V/50-60HZ i , DC12 V /5A	
Power	/ /	
Power		
Power		
Power	FCC A /CE /LVD/CCC	















