

Android 11.6 POS 58mm

M / N POS-M1106-A

OS

| Android 7.1

| RK3368 1.5GHz

2G RAM 8G eMMC

| 11.6

| 1366 * 768 1080P

| 58 / 80mm

| VFD LCD MSR RFID 1 / 2D

OS

|

|

|

|

OS

OS	RK3368 1.5GHz
OS	Android 7.1 Android 6.0
RAM	2G + 8G ROM
SD	SD TF 32GB
Screen	11.6
Resolution	1366 * 768 1920 * 1080P
Screen Type	
Screen Size	58mm 80mm
Barcode	ISO7811 1/2/3
RFID	ISO14443TypeA
RFID Type	1D / 2D
Display	LCD / VFD
WIFI	802.11b / g / n
USB	5 * USB2.0

RJ11	2 * RJ11
LAN	1 * RJ45 100/1000
RS232	1 * RS232 3 RS232 prot
	DC12V 5A
	5200mAh
	-10°C ~ 50°C -20°C ~ 60°C 10 ~ 90





POS-M1106-A





POS-M1106-A





POS-M1106-A





POS-M1106-A



□□□□

OCOM 500 1

OCOM DOT POS POS ISO CE FCC BIS

2007 6 OCOM ISO9001 2008 159 / 2300 50 02 Equicom ...

OCOM " " OEM / ODM

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

· POS□□□□□□□□□□□□□□□□□□□□

· □□□□□□500□□□□□□□□

· 1□□□□□□□□□□□□O2□Star ...

· □□163□□□□/□□□2600□□□□□□

· □□□□□□□□□□□□24□□□□□□□□

· □□12□OEM / ODM□□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□

· □□□□□□□□12 + 1□□□□□□□□□□□□

· □□“□□□□□□□□”

· □□“□□□□□□□□□□□□□□□□□□□□”□□□□□□



