

Android 7.0RFIDRFID

OCBS -D5000

RFID

- Android 7.0
- 1GB RAM16GB ROM
- 5.0720 * 1280
- IP65 / 1.5m
- 3.7V8000mAh
- 8 MPLED
- 4G / Wifi / GPS /
- HHW SoftwareDevelopment Kit
- 1D / 2D BarcodeScanner
- RFIDL / HF / UHF / NFC
- TCS1SMCapative

RFID		
RFID		
RFID	170mmx85mmx23mm±2mm	
RFID	重量380g	
RFID	5.0英寸TFT-LCD720x1280分辨率	
RFID	LED灯	
RFID	3个TP6000mAh4个	
RFID	2个PSAM1个SIM1个TF	
RFID	3.7V8000mAh	
RFID		
RFID	A53 1.5GHz	
RFID	Android 7.0	
RFID	2GB RAM16GB ROMMicroSD32GB	
RFID		
RFID	-20℃50℃	
RFID	-20℃70℃	
RFID	5%RH95%RH	
RFID	5mm/1.5mm	
RFID	IP65IEC	
ESD	±15kv±8kv±8kv	
RFID		
SDK	HHW	
RFID	Java	
RFID	Android StudioEclipse	
RFID		
WWAN	TDD-LTE38,39,40FDD-LTE1,2,3,4,7; WCDMA850/1900 / 2100MHz; GSM / GPRS / Edge 850/900/1800 / 1900MHz;	
WLAN	2.4G / 5GIEEE 802.11 a / b / g / n / ac	
WPAN	Class v2.1 + EDRv3.0 + HSv4.0	
RFID	GPSA-GPS5	
RFID		
RFID		
1D	RFID	N431x
	RFID	
RFID	2D CMOS	N6603
	RFID	PDF417MicroPDF417Com pos iteRSSITLC-39DatamatrixQR Micro QRCodeAztecMaxiCodePos talNetPos tal Pos talPos talPos tal
RFID		
RFID	800	
RFID	LED	

RFID		
RFID LF		125KHz / 134.2KHzFDX-B / HDX
		ISO 11784& 11785
	R / W	210
RFID HF		13.56MHz
		ISO 14443A& 15693
	R / W	28
RFID UHF		865~868MHz920~925MHz
		EPC C1 GEN2 / ISO 18000-6C
		2dBi
	R / W	11.5
2.45GHz	200	
433MHz	200	
ZigBee		
	IEEE 802.15.4	
	100200	
	TCS1SM	
	508 DPI	
	FRR <0.008FAR <0.005	
	1000	
PSAM		
	ISO 7816	
	9600,19200,38400,43000,56000,57600,115200	
	2	
	1xPower 1x 1xDC 1xUSB	
	UHF	



OCBS-D5000





OCBS-D5000

