

15.6寸15.1寸AndroidPOS

M / N POS -G156W / A-G151W / A



OCOM G pos R d IO

I3 I5

RK3288

EMMC 8GB / 16GB / 32GB

mSATA SSD 64GB SSD 128GB 256 GB

58 80mm

MSR VFD220

TURE

	POS -G156W / A	POS -G151W / A
	15.6寸 pos	15.1寸 pos
	15.6寸	15.1寸

		1366 * 768	1024 * 768
		250cd /m²	
		160;150	
		G + G	
		15.6inch13.3inchW / W / O 1366x768	15.1inchW / W / O 1024 * 768
		2 * 20 VFD	
Windows 1900		1900 2.0GHz i3 / i5 4 CPU	
		1 * SO-DIMM DDRIII support 1333 * / 1600 4GB 2GB / 8GB	
		mSATA SSD 64GB 256GB	
		Tek ALC662	
	LAN	10 / 100Mbps RTL8111F Mini PCI-E WIFI	
		Windows 7 / 8/10 POS Linux	
RK3288		RK3288 1.8G RK3399	
		DDRIII 2GB 4GB	
		board 16GB EMMC 32GB	
		ALC5640	
	LAN	10 / 100Mbps RTL8111F	
	WIFI	Wi-Fi 802.11b / g / n BT3.0 / BT4.0	
		7.1	
Windows Android 1900 RK3288		* 1	
		12V DC IN * 1	
		COM RS232 * 1	
		LAN RJ-45 * 1	
		USB * 5	
		MIC * 1 * 1	
1900		LPT * 1	
		VGA 15 d-SUB * 1	
		RJ11 * 1	
		PS / 2 * 1	
RK3288		RJ11 * 1 RJ11 * 1	
		TFcard * 1	
80mm			
		150 / s printing	
		79.5 - / +0.5 72	
		atuo 100	
		USB	

58mm	
	80 / springting
	57.5 - / +0.5 48
	50
	LPT
MSR.	MSR 15.6inch
	8 / 5W
	6.5 8.5 15.6
	300 * 465 * 500
	0 40
	-10 60
	10 80
	10 90
	110-240V / 50-60HZ AC powerinput W DC12 / 5A / O W / 58 DC12V / 7A W / 80
	FCC A / CE / LVD / CCC





□□□□□□□□□□□□□□□□



□□□□USB□□□□□□□□□□□□□□□□



□□I / O□□



□□

