# $\mathsf{Android} {\color{red}\square} {\color{red}\square}} {\color{red}\square} {\color{red}\square} {\color{red}\square} {\color{red}\square} {\color{red}\square} {\color{red}\square} {\color{red}\square} {\color{red}\square}} {\color{red}\square} {$

# □OCBS -T009□

	00000650nm
	20[
	001800000000
00000	
	EAN-8  EAN-13  UPC-A  UPC-E  Code 39  Code 93  Code 128  EAN 128  ISBN  ISSN  Codabar  Code 25 non-interleaved  Code 25 interleaved  Matrix 2 of 5  MSI   Pos tBarcode
	PS / 2[]USB 2.0[]RS232
	5VCD±12[]1.6W
	FCCCCE
LED[][]	
	N.W□474g / pc G.W□819g / pc
	□□□115mm * 110mm * 152mm□□□245mm x165mmx132mm
00000 N	9.6[[]/ 10[]
	68000*35000*28000
	0001.5M0000
	0040003200001040000
	-40[ 60  ]-40[ 0] 140  0
	00005009500000
	IP540000000000000



Multi-line Flatbed Laser Bar code Scanner

OCBS-T009













# **Product Picture**



# Features

# Reliable with good price

Gilded optical technology with 32bit chip, can read reflective, wrinled, fuzzy and colored barcode swimmingly









Patented decoding sensor, fast and strong decode capability;



# Decoding various barcodes, accommodat more industries applications



# A variety of special output format setting, adapt to customer' specific applications



# Bookstore Supermakte Pharmacy Warehouse Restaurant

Clothing store

PERFORMANCE PAR	AMETERS		
Light Source	Visible Laser Diode 650nm		
Line 000	20 lines		
Scan Rate	1800 scans per second (Omni-directional)		
Scan Pattern	Omni-directional: 5 fields of 4 parallel lines		
Print Contrast	32% minimum reflectance difference		
Decode Capability	EAN-8, EAN-13, UPC-A, UPC-E, Code 39, Code 93, Code 128, EAN 128, ISBN,ISSN, Codabar, Code 25 non-interleaved, Code 25 interleaved, Matrix 2 of 5, MSI, PostBarcode, etc		
ELECTRICAL PARAM	ETERS		
Support Interface	PS/2, USB 2.0, RS232		
Voltage Power	5VCD±12% 1.6W		
Laser-level	Class2		
Certificate	FCC, CE		
LED Indicator	Red and Blue		
PHYSICAL PARAMET	ERS		
Weight (pc)	N.W: 474g/pc G.W: 819g/pc		
Size (pc)	Host: 115mm*110mm*152mm Package: 245mm x165mmx132mm		
Weight (Carton)	9.6 kg/10pcs		
Size (Carton)	680mm*350mm*280mm		
ENVIRONMENTAL PA	TAMETER		
Crash resistant	Can withstand 1.5M free fall		
Operating Temperature	0 to 40 Degrees (32 Fahrenheit to 104 Fahrenheit)		
Storage Temperature	-40 to 60 Degrees (-40 Fahrenheit to 140 Fahrenheit)		

### **Production Capacity:**

Sealed Environment

Humidity

		✓ Indicates in	formation has been verified onsite by a certification specialis
Producti	on Capacity		
Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
V	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
V	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

5% to 95% Relative humidity, Non-condensing

IP54 (Sealed to resist airborne particulate contaminants)

Verified by TUV on 2013.7.15



Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers'satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Indicates information has been verified onsite by a certification specialist

### **Test Equipments:**

Digital Torque Meter

Test Equipr	ment and Facilities		
Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
1	Withstand Voltage Tester	CC2670A	1
1	Oscilloscope	TBS1102	1
1	DC Power Supply	P9-305DM	6

HP100

Calliper GUANGLU

Multi-meter VC890D

Test Computer No Information

Verified by TUV on 2013.7.15

### Certification:









### Warranty and After Sales:

- All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- Spare parts will be provided for mass orders for customers' local maintenance.
- Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.



### Packing and Shipment:





### Payment:









secure payment







Trade Assurance

# **Customers Reference**

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



### Company Profile



### TRADE ASSURANCE


- 100% money refund for Late shipment&Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged

The HIGHESTassurance amount guaranteed by alibaba

in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers, Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs. OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com, Together we quest for the best.













2& 
<pre>[][][][][][][][][][][][][][][][][][][]</pre>
3 OCOM;
4\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\