000000000000**PDA**000000

□OCBS -D5000□

- Android 7.0
- 1GB RAM∏16GB ROM
- 005.000720 * 128000000

- 000008 MP00LED000000
- 04G / Wifi / GPS /00
- HHW SoftwareDevelopment Kit
- 1D / 2D BarcodeScanner□□□□
- RFIDLF / HF / UHF / NFC
- TCS1SMCapapitive

ПП	
ПП	170X85X23±2
ПП	
ПП	
	LEDN1
	30TP00600004000
	2
	3.7V_4500mAhUHF8000mAh
	□□A53 1.5GHz□□
	Android 7.0
	2GB RAM[]16GB ROM[]MicroSD[][]32GB[][]
	-20°C[50°C
	-20°C[]70°C
	5[RH[]95[]RH[][][][]
	000000000500/1.5000000
	IP65[[[[]][EC][]
ESD	±15kv_0000±8kv_0000 ±8kv_000
SDK	HHW
	Java <u></u>
	Android Studio Eclipse
WWAN	TDD-LTE[[[]38,39,40[]FDD-LTE[[]1,2,3,4,7;
	WCDMA□850/1900 / 2100MHz□□;
	GSM / GPRS / Edge 850/900/1800 / 1900MHz[];
WLAN	2.4G / 5G
WPAN	□□Class v2.1 + EDR□□□v3.0 + HS□□□v4.0
	GPS[]]][]A-GPS[]][][]5[]
000000000	POPOGO PO
1D[[00000 000N431x
	2D CMOS[[[[]]]
	DD PDF417 MicroPDF417 Com pos ite RSS TLC-39 Datamatrix QR Micro QR
	DPos talDD
	800

RFID	
RFID LF	□□ □125KHz / 134.2KHz□FDX-B / HDX□
	□□ ISO 11784& 11785
	R / WDD 20001000
RFID HF	□□ 13.56MHz□
	□□ ISO 14443A& 15693
	R / WOO 2000800
RFID UHF	□□ 865~868MHz□920~925MHz
	□□ EPC C1 GEN2 / ISO 18000-6C
	000 00002dBi0
	R / WOO 1001.500000000
<u>□</u> 2.45GHz	
433MHz[]	
ZigBee[[[[[[[
	EEE 802.15.4000
	100002000000
	TCS1SM
	508 DPI
	FRR <0.008[[]FAR <0.005[]
	1000
PSAM	
	ISO 7816
	9600,19200,38400,43000,56000,57600,115200
	200000
	1xPower[]
	1×00000
	1xUSB
	00000UHF000





