

Android IC

M / N CR003IC



概要

CR003IC IC IC


仕様

IC
T = 0 T = 1 CPU
USB Android

3. 仕様

接続	USB RS232
温度	-20°~60°C 0°~50°C
寸法	15×85
重量	116×36×38.4
IC	
容量	> 200,000
厚さ	0.75mm
IC	20
IC	50
IC	25

	AT24C01A / 24C02 / 24C04 / 24C08 / 24C16 / AT24C64SLE4432 / 4442SLE4418 / 4428 ISSI 24C01A / 16ISO7816-1-4T = 1T = 0
	ISO 7811AMMVA-CADMV
	3~60/
	> 600000
position	3
	0.761.2mm
	7
RFID	
	13.56MHz ISO / IEC14443A / B.
	> 600000
	1-4cm





CR003IC





CR003IC





CR003IC





□□□□

12 + 1

30 DOA DOA

4.

T / T LC Western Union Escrow T / T Western Union Escrow Paypal
.Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133

9 OEM / ODM

POS

FCC CE Soncap POA BIS

12 + 1

“ ”