

QR

OCBS -W013



QR

I 200MM / S

I 10-60cm

I 70 2.4G

I

I 1.5m

I 1500mAh

QR

QR	
QR	ABS + PVC + PC
QR	L * W * H 162mm * 68mm * 93mm
QR	169g±5g
QR	5V±5% 3.7v 1500mAh
QR	50MA; 30MA; 100MA
QR	
QR	&100000
QR	
QR	USB; 2.4G
QR	Linux Android Windows XP 7,8,10 MAC
QR	

晶片	650nm
MCU	32
記憶體	64K 3500 14bit 1D
晶片尺寸	200
晶粒	4MIL
晶片厚度	70
晶粒數	500000 1
晶粒間距	
晶粒間距	;
晶粒間距	LED
晶粒間距	35
晶粒間距	6-7
晶粒間距	24
晶粒間距	Code25-Interleaved Code25- Code25-Matri Code39- Code39-FullASCII Code32 Code93- Code93-FullASCII Code128
晶粒間距	10-600
晶粒間距	Roll35°; Pitch65°; Yew65°
晶粒間距	Code39 5mil 3cm - 8cm Code39 10mil 4cm - 45cm
晶粒間距	
IP	IP52
晶粒間距	0 50°C/ 32 122°F
晶粒間距	0 50°C/ 32 122°F
晶粒間距	20 85
晶粒間距	20 85
ESD	15KV
晶粒間距	1.5



OCBS-W013





OCBS-W013





OCBS-W013





1. 简介

OCBS-W013 是一款手持式一维条码扫描器，适用于各种零售、物流、仓储等场景。它采用USB接口，操作简便，扫描速度快，是提高工作效率的理想选择。

OCBS-W013 具有以下特点：

2. 产品特点 & 规格

OCBS-W013 的主要规格如下：

扫描速度：≥ 100 条/秒
接口类型：USB

您可以通过以下方式联系我们：
OCOM 官方网站：<http://www.aliexpress.com/store/403448>

3. 备注

OCOM 保留对产品规格进行更改的权利，恕不另行通知。

OCBS-W013 的保修期为 500 小时，自出厂之日起计算。

