

80

OCPP -88A



- 1.
- 2.300mm /
- 3.
- 4.
- 5.USB + Serial + LAN + Wifi + Bluetooth + USB
- 6.
- 7.
- 8.
- 9.Android + IOS + SDK
- 10.100
- 11.EPSON ESC / POS

--	--

重量	576g/包装重量512g/箱; 包装尺寸24x24x1803mm包装重量18030g	
尺寸	A 12 * 24mm 1.5mm * 3.0mm; B 9 * 17mm 1.1mm * 2.1mm C 24 * 24mm 3.0mm * 3.0mm	
接口	JUPC-A / UPC-E / JAN13/EAN13/ JAN8/EAN8/ CODABAR / ITF / CODE39 / CODE93 / CODE128/QR	
速度	打印速度250mm / sec 进纸速度300mm / sec	
接口	USB/USB + LAN/Wifi + USB/USB + USB	
接口	EPSON ESC / POS	
系统	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux/ESPON/Android/IOS/SDK	
厚度	79.5±0.5mm/72mm	
重量	83g	
厚度	0.06-0.08mm	
接口	接口	
接口	100mm	
接口	DC24V / 2.5A	
接口	0-45	
接口	10-80	
接口	190 * 145 * 145mm	
接口	1.60mm	
接口	P / N	接口
	OCPP -88A-U	USB
	OCPP -88A-URL	USB + LAN/接口
	OCPP -88A-W	Wifi + USB
	OCPP -88A-BU	接口 + USB
	OCPP -88A-U0	USB
	OCPP -88A-URL0	USB + LAN/接口
	OCPP -88A-W0	Wifi + USB
	OCPP -88A-BU0	接口 + USB



OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCPP-88A





OCOM□□□□□□□□□□□□□□□□□□□□“□□□□□□□□□□”□□□□□□□□□□□□□□□□□□□□

□OEM / ODM□

□□□□□□□□

► Company



► Certificates



► Payment



□□□□□□□□

- POS
- 500
- 102 Star ...
- 163 / 2600
- 24
- 12 OEM / ODM
-
- ISO 9001 FCC CE Rohs Soncap SASO POA BIS
-
- 12 + 1
- “
- “ ”



