

OCBP-T31

OCBP-T31

Product Description

Features

- Position;
- Support Paper out;
- ;
- ;
-
- 4MB DRAM 4MB FLASH
- ;
- BMP PCX BAC ;
- USB USB + ;
- PDF417 QR DOTMATRIX;

Specifications

Model	OCBP-T31
Resolution	203 DPI 8 / mm
Interface	
Connectivity	
Position	
Support	
Resolution	127 / ; 50.8 /
Resolution	16 ~ 76
Size	25mm; 80mm
Font	FONT 0 FONT 8; ;
Resolution	1 10; 0 90 180 270 360
Interface	
Memory	4MB 4MB DRAM
Memory	PCX BMP FLASH DRAM
Barcode	CODE128 EAN128 ITF Code39 Code93 EAN13 EAN13 + 2 EAN13 + 5 EAN8 EAN8 + 2 EAN8 + 5 CODABAR POS TNET UPC-A UPCA + 2 UPCA + 5 UPC-E UPCE + 2 UPCE + 5 C POS T MSI MSIC PLESSEY ITF14 EAN14 PDF417 QR DATMATRIX
Interface	USB USB +
Power	AC110V-240V

□□	□□□□□5℃□45℃ □□□□□-40℃□55℃ □□□□□20□~80□□□□□□□□□□ □□□□□≤ 93□□40℃□□□□□□□□□□
□□	□□□D230mm * H163mm * W152mm
□□	1.48□□

► Picture Show





OCBP-T31





OCBP-T31





OCBP-T31





OCBP-T31









OCBP-T31



► Company



► Certificates



► Payment



► Contact us



ISO CE FCC

Reliable One-Stop Supplier for POS and Auto-ID Related Products

4. 支払

当社は、前条第1項のT / T LC Western Union Escrow 又は T / T による Paypal を利用して、

□ □ □ □ □ □ □ □ □ □