

1. POS terminal

2. Super-Slim

3. -mo

	- 1562-W	- 1562-00
	15.6 inch POS terminal	
	Slim	
	15.6 inch IPS	
resolution	1920*1080	
	220cd/m <sup>2</sup>	
angle	90° / 60°	
storage	11.6 inch w/w/w/o	
	Processor: Intel Celeron J6412 / Rockchip RK3568 2.0G	
memory	1*so-dim DDR4 3200MHz 4GB / 8GB / 16GB	DDR4 4GB / 8GB
	64GB M.2 SSD High 512GB	32GB EMMC 64GB
network	10/100 / 1000 MBS Realtek RTL8111F LAN PCI-E / WiFi	10/100 / 1000 MBS Realtek RTL8111F LAN Wi-Fi 802.11 b/g/n BT3.0/BT4.0
OS	Android 10/11	Android 11
	Power: 1*12V dc	
I/O J6412	LAN RJ-45*1 / USB*6 / com*2 / mini hdmi*1 2in1 jack *1	
	Power: 1*12V dc	
I/O RK3568	LAN RJ-45*1 / USB*6 / com*1 *1	
	0.50 inch	
	- 2.0 inch	
	10.90 inch	
	10.90 inch	
	3.6g / 4.9g	
	430*240*370 mm	
	110-240V/50-60Hz AC input / DC12V/5a	
	/ EU / UK	



# Super Slim Die-cast Aluminum Touch POS Terminal

Model: POS-1562



Super Slim



Die-cast Aluminum



Waterproof



Windows/Android



### 10mm Ultra-thin Body

High-end titanium gray color.  
Modern stylish, industry new innovation.




### Full Die-cast Aluminum Body

Uniform and delicate oxidized color,  
more advanced than the painting process.



### Full Lamination Advantage

Improved light transmittance ensure  
high-definition display and higher  
brightness to compatible with outdoor use.  
Dust-free makes the screen cleaner.



### Waterproof

Improved waterproof performance of the  
surface, to avoid accidental water ingress.



### High-Efficiency

Configurated DDR4 3200MHz RAM and NVME  
protocol M.2 SSD, faster response when operate.



### Scientific Structural Design

Mainboard is sticked behind of lcd screen  
ensuring maintenance convenient and  
well-done cables management.



## Specifications



### OS

Windows 10/11  
Android 11



### Processor

Intel Celeron J6412  
Rockchip RK3568



### Memory

DDR4 4GB/8GB/16GB



### Storage device

128G/256G/512G SSD  
32G/64G/128G eMMC



### Main screen

15.6" LCD (1920\*1080)  
16:9, Multi-point projected G+G capacitive touch



### Sub-display

11.6"  
Touch function for option



### Interface

USB2.0\*4, USB3.2\*2, RJ48(Serial)\*2,  
1000Mbps LAN\*1, Mini HDMI\*1,  
12V 5A DC input\*1, Audio\*1



### Housing material

Aluminium alloy  
Titanium grey



### Options

3W Speaker  
Wifi&Bluetooth  
4G LTE



### Environment

Operating temperature: 0°C - 50°C  
Storage temperature: -20°C - 60°C



### Size (W\*H\*D)

Product size: 370\*180\*296(mm)  
Packaging size: 430\*240\*390(mm)



### Weight

Net: 3.55kg  
Gross: 4.9kg

Notice: Product specifications subject to change without prior notice. Product pictures are taken with engineering sample. OCOM reserves the right to change the product information without prior notice.

Website: [www.ocominc.com](http://www.ocominc.com)









