

□□□□□□□□ Pos PC □□□□ POS □

□□□□ POS -8618L □



□□□

| Intel Celeron J1800 □□ 2.4 GHz

| □□ SSD 32GB □□□□

| □□□□□□ SSD □ HDD

| □□□□□□□□

| 1024 * 768 □□□□□□

| □□□□ / O□□□□

□□□

| □□□□□□□□□□□□□□□□□□□□□□□□

| □□□□□□□□□□□□□□□□□□□□□□□□

| □□□□□□□□□□□□□□□□□□□□□□□□

| □□□□□□□□□□□□□□□□□□□□□□□□

□□□

□□	POS -8618L
□□□□	□□

□□	□□□□□□□□
□□□□□	Intel Celeron J1800□□□2.4GHz
□□□	□□□NM70
□□	DDRIII 1066/1333 * 1 2GB□□□□
□□	SSD 32GB□□□□
□□□□□□	15□□TFT LCD
□□	□□350cd /□ ²
□□□	1024 * 768□□□□
□□□	□□□□□□□□
□□□□	□□□□150;□□□140
I / O□□	1 *□□□□12V DC□□□□* 1
	□□* 1 DB9□□
	□□□1 * DB25□□
	VGA□15□D-sub□* 1
	LAN□RJ-45 * 1
	USB□2.0□* 4□USB□3.0□* 2
	□□□□* 1
	□□□□* 1
	PS / 2□□□□* 1□PS / 2□□□□* 1
□□□□	0°C□40°C
□□□□	-20°C□60°C
□□□□	Windows XP□□
□□□□□	110-240V / 50-60HZ AC□□□□□DC12 / 5A□□



POS-8618L





POS-8618L





POS-8618L





POS-8618L





POS-8618L





□□□□□

OCOM 所有 POS 均 ID 500 1

OCOM 所有 POS 均 DOT POS POS ISO CE FCC BIS

2007 6 OCOM ISO9001 2008 159 / 2300 50 02 Equicom ...

OCOM “ ” OEM / ODM

□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□□“□□□□□□□□□□□□□□□□”□□□□□□



□□□□

