

POS 15.6

POS -8618L



□□

I Intel Celeron J1800 2.4 GHz

I SSD 32GB

I SSD HDD

I

I 1024 * 768

I / O

□□

I

I

I

I

□□

| | |
|------|------------|
| □□ | POS -8618L |
| □□□□ | □□ |

| | |
|---------|---------------------------------------|
| □□ | □□□□□□□□ |
| □□□□□ | Intel Celeron J1800□□□2.4GHz |
| □□□ | □□□NM70 |
| □□ | DDRIII 1066/1333 * 1 2GB□□□□ |
| □□ | SSD 32GB□□□□ |
| □□□□□□ | 15□□TFT LCD |
| □□ | □□350cd /□ ² |
| □□□ | 1024 * 768□□□□ |
| □□□ | □□□□□□□□ |
| □□□□ | □□□□150;□□□140 |
| I / O□□ | 1 *□□□□12V DC□□□□* 1 |
| | □□* 1 DB9□□ |
| | □□□1 * DB25□□ |
| | VGA□15□D-sub□* 1 |
| | LAN□RJ-45 * 1 |
| | USB□2.0□* 4□USB□3.0□* 2 |
| | □□□□* 1 |
| | □□□□* 1 |
| | PS / 2□□□□* 1□PS / 2□□□□* 1 |
| □□□□ | 0°C□40°C |
| □□□□ | -20°C□60°C |
| □□□□ | Windows XP□□ |
| □□□□□ | 110-240V / 50-60HZ AC□□□□□DC12 / 5A□□ |



POS-8618L





POS-8618L





POS-8618L





POS-8618L





POS-8618L



▶ Company



▶ Certificates



▶ Payment



□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□□“□□□□□□□□□□□□□□□□”□□□□□□



□□□□

