

## 

## 

	∏∏LED
	CMOS
	640 * 480256
	13mil UPC40/_
	<u> </u>
	≥4mil
1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC/EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI/Plessey PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec
2D	Code, GS1 Composite
	39\\\\]5mil\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	±45°@ 0°    0°      ±30°@ 0°   00°      ±45°@ 0°  000°
	3.3V∏5V DC
	2.0
	2.5450
DC[[[]	□□5.5V 1A
LED CLASS	Class I
EMC[[	FCC part15,IEC60825-1,EN55022 Class B

	-2060144
	-3070158
	50 - 9500000
	1.5005.0000000000
IP□	IP54
	<b>1</b> 56 * 68 *83□□
	195000000
	48 * 36 * 47CM[]20[][][]13.5[][]
	48 * 39 * 52CM[]30[][][][][]