				$ \Box\Box$	
--	--	--	--	-------------	--

☐M / N☐POS -8618☐

1037U1.8GHZ
HardDriverSSD32GB
50000000000000
I / OInterface





	POS 8618
	000
00000	VFD220E
00	0000000
0000	
	ПОПИМ70
	DDRIII 1066/1333 * 1 2GB[]][]
	SSD32GB[][][]
	1500TFT LCD
	1024 * 768000
	5000000
00	0000150;000140
	1 *[]][][12V DC[][][][1 1
	PS2KB / MS * 1
	Serial * 1 DB9[]
	0001 * DB250000
I / O	VGA[]15Pin D-sub[]* 1
	LAN[R]-45 * 1
	USB[]2.0[* 6
	0000*1
	MIC IN * 1
0000	0°C []40[]°C
0000	-20°C[60[]°C
	FCC A / CE[[]/ LVD / CCC
0000/00	410 * 310 * 410mm / 7.6 KGS
0000	Windows XP[][]Embedded[]WE POS[]Linux
	110-240V / 50-60HZ[]]][][][]C12 / 5A[]]

poswindo	ws	pos



Product Picture



Features









All-round show



Application Are



Parameter

Model	POS8618	
Optional Color	Black or White	
Optional Peripherals	VF0220E	
Main Board	Intel Celeron Processor	
CPU	Intel Celeron 1037U dual core 1.8GHZ	
Chipset	Intel NMT0	
Memory Support	DDRIII 1066/1333*1 2GB (default)	
Hard Driver	SSD 32GB (default)	
LCD panel Size	15 inch TFT LCD	
Drightness	350cs/m²	
Resolution	1024*768(max)	
Touch Screen	5 wire resistive touch screen	
View Angle	Harizon: 160; Vertical: 140	
	1" power button 12V DC in jack*1	
	PS2KB/MS*1	
	Serial*1 DB9 male	
	Parallel 1*D825 Parallel port	
NO port	VQA(16Pin D-sub)*1	
	LANRI-491	
	USB(2.0)*6	
	Audio out*1	
	MIC IN1	
Operating temperature	0°C to 40°C	
Storage temperature	-20°C to 60°C	
Compliance	FCC Class A/CE Mark/LVD/CCC	
Packing dimension/ Weight	410°310°410eve / 7.6 Kgs	
Operating System	Windows XP above. Embedded,WEPOS,Linux	
Power adapter	110-240V50-60HZ AC power. Input DC12/5A out put	

Production Lin





Nethed	Product Name	Production Line Capecity	Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Mores	10,000 Sets
1	Bluelooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Mactine	5,000 Sets / Month	10,000 Sets
1	Mannatir Card Dawler and Vinter	45 000 Sam / Month	50,000 Sens

Qualit



Test Equi

VedSed	Machine Name	Grand & Wodel No.	Quantity
4	Ageing Tester	No information	6
V.	Withstand Voltage Tester	GC2171A	.0
4	Osciloscope	T651132	10
1	DC Power Supply	PS-3050M	6
1	Digital Torque Meter	HP100	1
1	Caliper	CUANCLU	2
1	Multi-meter	VC8900	7
1	Test Computer	No information	13













Payment















Why you



Comp













Doris Jiang





OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 803 Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com, www.possolution.com.cn

E-mail: sales03@ocominc.com, sales03@ocomtech.com.cn Skype: ocomsales03; MSN: ocomsales03@hotmail.com

Ali TM: cn1000896972; QQ: 1412728186 Mobile/Wechat/Whatsapp: 0086.18948739802



Reliable One-Stop Supplier for POS and Auto-ID Related Products