

2

M / N OCBP -006

1. 0000000/0000
2. 00000000
3. 0000000000
4. 00000000
5. Modular 0000000000000000

00000

00 00	00 0
000	203DPI
00 00	20-60mm
00 00	MAX 127mm/; MIN 50.8mm/
00	DRAM 4M 4M
00 0 00	0000
00000	0000
00	USB
000000	000000
00	CODE128 EAN128 ITF CODE39 CODE93 EAN13 EAN13 + 2 EAN13 + 5 EAN8 EAN8 + 2 EAN8 + 5 CODABAR POS TNET UPC-A UPCA + 2 UPCA + 5 UPC-E UPCE + 2 UPC-E + 5 C POS T MSI MSIC PLESSEY ITF14 EAN14 Q[R] DM PDF417
0000	0000008
00000000	0° 90° 270° 360° 00000010; 0° 90° 270° 360°
00	PCX BMP 0000000000 FLASH DRAM
0000	000000000000
00	20 60
0 00	MAX 80
0 0 00	MIN 25
0 0000	00 0
0000	DC12V 3A
00	1.04KG
0000	190D x 135W x 137H mm
0000	45°C 20 - 80
00	- 40 55°C ≤ 93 RH 40°C
00	

00000







Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products