

OCBP -004

M / N OCBP -004

OCBP

8 MB SDRAM 200 Mhz 32 RISC CPU 4 MB

OCBP

127 5

25.4 1 300 984

OCBP

TSPL-EZ™ TPLE TPLZ

OCBP	OCBP -004A	OCBP -004B
Resolution	800/600 203 DPI	1280/800 300 DPI
Resolution	1270/500	101.6 4 / s
Resolution	1080 4.25	104 4.09
Resolution	2794 110	1016 40
Resolution	20-112 0.78 -4.4	
Resolution	0.06 0.254 2.36 10	
Resolution	10 2,794 0.39 " 110"	10 1,016 0.39 " 40"
Resolution	127 5	
Resolution	300 m 67 1 40 110 1.6 4.3	
Resolution	234 194.8 302.5	
Resolution	3.1 6.83	
Resolution	32 RISC CPU	
Resolution	4MB	
Resolution	8MB SDRAM	
Resolution	SD 4 GB	
Resolution	•USB2.0 •RS-232 •Centronics •10/100 Mbps •802.11 b / g / n	
Resolution	AC 100-240V 1A 50-60Hz	
Resolution	DC 24V 2.5A 60W	
Resolution	LED 1 1 LED 3	
Resolution	pos	
Resolution	TTF	



OCBP-004



