

USB + Lan

M / N OCBP -004A / B

1

8 MB SDRAM 200 Mhz 32 RISC

4 MB

127 5

300 984' 25.4 1

Kiosk

TSPL-EZ™ TPLE TPLZ

2.Parameters

	OCBP -004A	OCBP -004B
	8 / mm 203 DPI	12 / mm 300 DPI
	127 mm / s	101.6 mm / s
	108 4.25	104 4 09
	2794 mm 110	1016 mm 40
	20-112mm 0.78"-4.4"	
	0.06~0 254 mm 2.36~ 10	
	10~2 794 0 39" 110"	10 1016 0 39" 40"
	127 5	
&;	300 67 mm 1" 40 mm~110 mm 1.6"~4.3"	
	234 w ^X194.8 H x302.5 d	
	3.1 6.83	
	32 RISC CPU	
	4MB Flash Memory	
	8MB SDRAM	
	SD 4 GB	
	<ul style="list-style-type: none"> • USB2.0 • RS-232 • Centronics • 10/100 Mbps • 802.11 b / g / n 	
	AC 100-240V 1A 50-60Hz	
	DC 24V 2.5A 60W	
LED	1 1 1 LED 3	
	position	
	8	
	TTF	
	1D Code 39 Code 93 Code 128 UCC Code 128 subsets A B C Codabar Interleaved 2 of 5 EAN-8 EAN-13 EAN-128 UPC-A UPC-E EAN UPC 2 5 MSI PLESSEY POS TNET POS T. PDF-417 Maxicode DataMatrix QR	
	BIMAP BMP PCX 256	
	0° 90° 180° 270°	
	TSPL EPL ZPL DPL	

温度	5~40°C / 25~85°F
湿度	40~60% / 10~90%
认证	FCC CE CCC CB
环保	RoHS
接口	①Windows CD; ②USB; ③USB; ④; ⑤; ⑥x 2, 1.5"x x 2; ⑦x 2; ⑧; ⑨
打印速度	10/100 Mbps RS-232 Centronics
打印分辨率	0.06~0.19mm / 500000; 0.20~0.25mm / 200000
打印语言	OD 214 8.4 25.4 1 802.11 b / g / n serial RFID

3. 产品特点





OCBP-004





4
1

2
&

t / t_western uion_paypal aliexpress
<http://www.aliexpress.com/store/403448> tracelog = minisite_CI

3

OCOM 500 100

12 + 1 24

30 DOA DOA

4

T / T LC Western Union Escrow T / T Western Union Escrow Paypal

Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

OCOM Technologies Ltd. TUV POS Auto-ID OCOM 500 1

OCOM POS POS POS POS POS CE FCC

OCOM " OEM / ODM

6.Contact

Lyn Lee
OCOM
104518054;
www ocom inc.com www pos solution.com.cn;
sales14@ocominc.com;
Skype sales14@ocominc.com
MSN ocomsales14@hotmail.com;
Whatsapp 0086.18948789890;
0086.18948789890;
0086.18948789890;
QQ 1467261417;
0086.755.86053207-814;
0086.755.86053207-868;