

Android POS 80mm

OCPP -88A



□□□

- 1. □□□□□□□□□□
- 2. □□□□□□□ 300mm / □□
- 3. □□□□□□□□□□
- 4. □□□□□□□□□□
- 5. □□□□□□□ USB □ USB + Serial + LAN □ Wifi + USB □ Bluetooth + USB
- 6. □□□□□□□□□□□□□□□□
- 7. □□□□□□□□□□□□□□□□
- 8. □□□□□□□□□□
- 9. □□□□□□ Android □ IOS □ SDK □
- 10. □□□□□□□□□□□□□□□□ 100 □□□□
- 11. □□ EPSON ESC / POS □□□□

□□□

□□□□	□□□□
□□□□	576□/□□□□□□□ 512□/□; □□□□□□□□ 24x24□□□□□ 18030□□□□□□□□□□□□□□□□□□□□ ANK□□□□

□□	A□12 * 24□□1.5□W□* 3.0□H□mm; B□9 * 17□□1.1□W□* 2.1□H□mm □□/□□□24 * 24□□3.0□W□* 3.0□H□mm	
□□□□	JUPC-A / UPC-E / JAN13□EAN13□/ JAN8□EAN8□/ CODABAR / ITF / CODE39 / CODE93 / CODE128□QR□	
□□□□	□□□□□□250mm / sec□□□□□300mm / sec	
□□	USB□USB +□□+ LAN□Wifi + USB□□□+ USB	
□□□□	□EPSON ESC / POS□□□□	
□□	Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux□□ESPON□□□□Android□IOS□SDK□□□	
□□	79.5±0.5mm□□□□□72mm□	
□□□□	83□□	
□□□□	0.06-0.08□□	
□□	□□□□□□□□	
□□□□□□	100□□	
□□	DC24V / 2.5A	
□□	0-45□	
□□□□	10-80□	
□□□□	190 * 145 * 145□□□□	
□□	1.60□□	
□□□□	P / N	□□
	OCPP -88A-U	USB□□□□□□□□□□
	OCPP -88A-URL	USB +□□+□□□□□□□□□□□□
	OCPP -88A-W	Wifi + USB□□□□□□□□□□
	OCPP -88A-BU	□□+ USB□□□□□□□□□□
	OCPP -88A-U0	USB□□□□□□□□□□
	OCPP -88A-URL0	USB +□□+□□□□□□□□□□□□
	OCPP -88A-W0	Wifi + USB□□□□□□□□□□
	OCPP -88A-BU0	□□+ USB□□□□□□□□□□

□□□□□□□□



□□□80mm□□□□□□QR□□□□□80mm□□□□□□80mm wifi□□□□□



OCPP-88A





OCP-88A





OCPP-88A



