# 

## OCPP-80G

## 

- 1.00000000
- 2.0001D0002D0000
- $3.100 \mathsf{M}_{\square\square\square\square\square\square\square\square\square\square\square\square\square\square$
- 4.\_\_256KB NV Logo\_\_2M\_\_\_\_

## **2.**

	230/
	79.5±0.5[[
	Ф80mm
	0.06-0.08mm
	576[]/ line512[]/[]
	3.75000000000
	☐ESC / POS□□□□
	□□+ USB + Lan / 36P□□/ 25P□□+ USB / LAN
	100
	2048Kbytes
NV Flash□	256K□□
	AC110V / 240V□50□60HZ
	DC 24V / 2.5A
	DC 24V / 1A
	□□□0~45□□□□10~80□□□□□N- □□□
	000-450 0000 00010-80000N- 00
	10_60°C_; Humidity_10_90_
	$ANK \square Font A \square 1.5 * 3.0 mm / Font B \square 1.1 * 2.1 mm$
	UPC-A / UPC-E / JA    EAN13   JAN8   EAN8 / CODE39 / ITF
	/ CODE93 / CODE128/000/ PDF417000
	PC347PC850PC860PC863
	000PC865000000000000000000000000000000000000
	PC852[[[[[]]][2][[]
	PC858[]Iranll[][][][][][][][][][][][][][][][][][][
	□□□ 1.25□□; □□□□□ 190×145×143□m□□*□*□□

## **3.Pictures**











### 4.FAQ□

#### 1[].Warranty

#### 200000

### 3[].Shipment

#### 4000000&00

5000000 0100000000000000000000000000000
6 http_// www_ pos solution.com.cn/cn/download.html
7
8[].MOQ[][]
5.Contact[
OCOM
Skype sales 14@ocominc.com
MSN[ocomsales14@hotmail.com;
Whatsapp_0086.18948789890;
□□□0086.18948789890; □□□0086.18948789890;
QQ\\(\frac{1467261417}{}\)
0086.755.86053207-814;