

OCPP-80G

OCPP-80G

1. 规格

1. 规格
2. 1D/2D
3. 100M
4. 256KB NV Logo 2M
5. OPOS
6. 规格

2. 规格

规格	规格
规格	230mm/ 260mm
规格	79.5±0.5mm
规格	Φ80mm
规格	0.06-0.08mm
规格	576 / line 512
规格	3.75
规格	ESC / POS
规格	+ USB + Lan / 36P / 25P + USB / LAN
C 规格	100
规格	100
规格	2048Kbytes
NV Flash	256K
规格	AC110V / 240V 50/60HZ
规格	DC 24V / 2.5A
规格	DC 24V / 1A
规格	0~45 10~80 N-
规格	0-45 10-80 N-
规格	-10~60°C; Humidity 10~90
规格	ANK FontA 1.5 * 3.0mm / FontB 1.1 * 2.1mm
规格	UPC-A / UPC-E / JAEAN13 / JAN8EAN8 / CODE39 / ITF / CODE93 / CODE128 / PDF417
规格	PC347 PC850 PC860 PC863 - PC865 WPC1252 PC866 2 PC852 2 PC858 Iran PT151 1251
规格	1.25; 190×145×143mm*mm

3. Pictures

**ocom**  
By your side



[www.ocominc.com](http://www.ocominc.com)





**ocom**  
*At your side*



[www.ocominc.com](http://www.ocominc.com)



**ocom**  
At your side



[www.ocominc.com](http://www.ocominc.com)





**4.FAQ**

**1.Warranty**

OCOM 12 24

**2**

T / T LC Western Union Escrow T / T Western Union Escrow Paypal Alipay.com Moneybookers Visa MasterCard Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

**3.Shipment**

**4**

t / t western union paypal aliexpress http://www.aliexpress.com/store/403448?tracelog = minisite\_CI factorie

## 5. 产品优势

1. 集成度高 2. 操作简便 3. 数据同步 4. 支持多种支付方式  
5. CRM 6. 7 \* 24 小时服务 4. 支持多种支付方式 12. 支持多种支付方式

## 6. 联系我们

请访问 [http:// www pos solution.com.cn/cn/download.html](http://www.pos-solution.com.cn/cn/download.html) 下载 SDK

## 7. 视频教程

请访问 [http:// www pos solution.com.cn/video.html](http://www.pos-solution.com.cn/video.html)

## 8. MOQ

10000 起

## 5.Contact

OCOM

104

518054;

[www.ocom-inc.com](http://www.ocom-inc.com) [www pos solution.com.cn](http://www.pos-solution.com.cn);

[sales14@ocominc.com](mailto:sales14@ocominc.com);

Skype [sales14@ocominc.com](https://www.skype.com/en/contacts/sales14@ocominc.com)

MSN [ocomsales14@hotmail.com](mailto:ocomsales14@hotmail.com);

Whatsapp 0086.18948789890;

0086.18948789890;

0086.18948789890;

QQ 1467261417;

0086.755.86053207-814;

0086.755.86053207-868;

\*Fortune 500 POS\*